

peerless-AV[®]
























Universal Display Mounting Solutions Product Reference Guide



























Universal Mounts

DISPLAY MOUNTS





















Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting			
Flat Mounts	SMARTMOUNT	10"-29"	SF630(P)		80lb (36kg)	VESA® 75 and 100mm	0.96" (24mm)	N/A	ACC215	Single		
		22"-43"	SF632(P)		115lb (52kg)	VESA® 75, 100, 200 x 100 and 200 x 200mm	1.02" (26mm)	N/A	ACC215	Single		
		32"-50"	SF640(P)		150lb (68kg)	450 x 405mm (17.72" x 15.95")	1.20" (30mm)	N/A	ACC415	Single / Double		
		39"-75"	SF650(P)		175lb (79kg)	742 x 405mm (29.21" x 15.95")	1.20" (30mm)	N/A	ACC415	Double		
		39"-80"	SF660(P)		200lb (91kg)	824 x 405mm (32.44" x 15.95")	1.20" (30mm)	N/A	ACC415	Double		
		46"-90"	SF670(P)		250lb (113kg)	895 x 450mm (35.25" x 17.72")	1.73" (44mm)	N/A	ACC615	Double / Triple		
		60"-98"	SF680(P)		350lb (158kg)	1100 x 650mm (43.29" x 25.59")	1.73" (44mm)	N/A	ACC615	Triple		
		85" Microsoft® Surface™ Hub 2S, 2X	SF680P-HUB2		350lb (158kg)	1100 x 650mm (43.29" x 25.59")	1.73" (44mm)	N/A	ACC615	Triple		
		46"-90"	SFP680		350lb (158kg)	494 x 650mm (19.45" x 25.59")	1.70" (43mm)	N/A	ACC615	Triple		
		55"-98"	SF680-HUB		300lb (136.1kg)	1216 x 608mm (47.89" x 23.94")	2.13" (54mm)	N/A	ACC615	Double		
		50" Microsoft® Surface™ Hub 2S, 2X	SF640-HUB2		80lb (36.3kg)	350 x 350mm (13.78" x 13.78")	0.52" (13mm)	N/A	ACC615	Double		
		55" or 65" Samsung Flip 2	RMI3-FLIP2		90lb (41kg)	400 x 400mm (15.75" x 15.75")	3.24" (82mm)	0°, -4.5°	ACC615	Double		
		Designer Series*	PARAMOUNT	10"-29"	PF630		50lb (23kg)	VESA® 75 and 100mm	0.64" (16mm)	N/A	ACC215	Single
				22"-43"	PF632		80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	0.64" (16mm)	N/A	ACC215	Single
				32"-46"	PF640		100lb (45kg)	450 x 305mm (17.72" x 12.01")	1.26" (32mm)	N/A	ACC415	Double
39"-75"	PF650				150lb (68kg)	742 x 405mm (29.23" x 15.95")	1.26" (32mm)	N/A	ACC415	Double		
39"-90"	PF660				200lb (91kg)	825 x 405mm (32.48" x 15.95")	1.26" (32mm)	N/A	ACC415	Double		
37"-50"	SUF640P				150lb (68kg)	450 x 402mm (17.73" x 15.82")	0.33" (8mm)	N/A	ACC215	Double		
37"-75"	SUF650P				150lb (68kg)	742 x 449mm (29.23" x 17.67")	0.33" (8mm)	N/A	ACC415	Double		
40"-80"	SUF660P				150lb (68kg)	825 x 449mm (32.48" x 17.67")	0.33" (8mm)	N/A	ACC415 / ACC615	Double / Triple		
24"-50"	SUF641				150lb (68kg)	75 to 425mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double		
37"-75"	SUF651				150lb (68kg)	150 to 400 & 550 to 700mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double		
40"-80"	SUF661		150lb (68kg)	150 to 400 & 550 to 800mm (in 25mm increments)	0.19" (5mm)	N/A	N/A	Double				

* Designed for use with displays that are less than 3" (75mm) deep

























Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/Double Stud Mounting		
Tilt Mounts	SMARTMOUNT	10"-29"	ST630(P)		80lb (36kg)	VESA® 75 and 100mm	1.58"-2.23" (40-57mm)	+15°/-5°	ACC215	Single	
		22"-43"	ST632(P)		115lb (52kg)	VESA® 75, 100, 200 x 100 and 200 x 200mm	1.65"-2.82" (42-72mm)	+15°/-5°	ACC215	Single	
		32"-50"	ST640(P)		150lb (68kg)	458 x 405mm (18.02" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Single / Double	
		39"-75"	ST650(P)		175lb (79kg)	742 x 405mm (29.21" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Double	
		39"-80"	ST660(P)		200lb (91kg)	824 x 405mm (32.44" x 15.95")	2.62"-5.40" (67-137mm)	+15°/-5°	ACC415	Double	
		46"-90"	ST670(P)		250lb (113kg)	895 x 450mm (35.25" x 17.72")	3.00"-6.63" (76-168mm)	+15°/-5°	ACC615	Double / Triple	
		60"-98"	ST680(P)		350lb (158kg)	1061 x 650mm (41.76" x 25.59")	3.38"-10.58" (86-269mm)	+15°/-5°	ACC615	Triple	
		46"-90"	STP680		350lb (158kg)	455 x 650mm (17.91" x 25.59")	3.38"-10.58" (86-269mm)	+15°/-5°	ACC615	Triple	
		PARAMOUNT	10"-29"	PT630		50lb (23kg)	VESA® 75 and 100mm	2.01"-2.98" (51-76mm)	+15°/-5°	ACC215	Single
			22"-43"	PT632		80lb (36kg)	VESA® 100, 200 x 100, and 200 x 200mm	2.01"-3.78" (51-96mm)	+15°/-5°	ACC215	Single
32"-46"	PT640			100lb (45kg)	450 x 305mm (17.72" x 12.01")	2.63"-4.74" (67-120mm)	+15°/-5°	ACC415	Double		
39"-75"	PT650			150lb (68kg)	750 x 405mm (29.52" x 15.95")	2.63"-5.50" (67-139mm)	+15°/-5°	ACC415	Double		
39"-90"	PT660			200lb (91kg)	832 x 405mm (32.75" x 15.95")	2.63"-5.50" (67-139mm)	+15°/-5°	ACC415	Double		
Pivot Mounts	SMARTMOUNT		10"-29"	SP730P		25lb (11kg)	VESA® 75 x 75, 100 x 100mm	2.77"-9.88" (70-251mm)	±35°	WSP700/701	Single
		22"-43"	SP740P		80lb (36kg)	VESA® 100 x 100, 100 x 200 and 200 x 200mm	3.03"-12.41" (77-315mm)	+15°/-5°	WSP700/701	Single	
		32"-50"	SP746PU		80lb (36kg)	400 x 400mm (15.75" x 15.75")	3.46"-12.84" (88-326mm)	+15°/-5°	WSP700/701	Single	
		10"-29"	PP730		25lb (11kg)	VESA® 75 and 100mm	2.75"-7.40" (70-188mm)	±15°	WSP700/701	Single	
		22"-43"	PP740		80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	2.78"-7.43" (70-189mm)	+15°/-5°	WSP700/701	Single	
Pull-Out Pivot Mounts	SMARTMOUNT	32"-65"	HPF650		60lb (27kg)	400 x 400mm (15.75" x 15.75")	2.32"-11.29" (59-287mm)	N/A	N/A	Double	
		32"-65"	SP840		60lb (27kg)	400 x 400mm (15.75" x 15.95")	2.64"-11.55" (67-293mm)	0°, 3.3°, 6.6° or 10°	N/A	Double	
		49"-65"	SP850-UNM		150lb (68kg)	400 x 400mm (15.75" x 15.75")	2.73"-11.14" (69-282mm)	0°, 5°, 10°	N/A	Double	
		32"-80"	SP850-UNL(P)		150lb (68kg)	600 x 400mm (23.62" x 15.75")	2.73"-11.18" (69-284mm)	0°, 5°, 10°	N/A	Double	

Universal Mounts

DISPLAY MOUNTS

Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall	Tilt Range	Metal Stud Accessory	Single/Double Stud Mounting		
Articulating Mounts	SMARTMOUNT.	10"-29"	SA730P		25lb (11kg)	VESA® 75 x 75, 100 x 100mm	2.77"-16.99" (70-432mm)	±35°	WSP700/701	Single	
		22"-43"	SA740P		80lb (36kg)	VESA® 100x100, 200 x 100 and 200 x 200mm	3.03"-21.80" (77-554mm)	+15°/-5°	WSP700/701	Single	
		32"-50"	SA746PU		80lb (36kg)	400 x 400mm (15.75" x 15.75")	3.46"-22.22" (88-564mm)	+15°/-5°	WSP700/701	Single	
		37"-55"	SA752PU		90lb (42kg)	600 x 400mm (23.62" x 15.75")	2.97"-26.47" (75-672mm)	+15°/-5°	WSP756	Single	
		39"-75"	SA761PU		125lb (57kg)	600 x 400mm (23.62" x 15.75")	3.10"-26.60" (79-676mm)	+15°/-5°	WSP756	Double	
		46"-90"	SA771PU		150lb (68kg)	800 x 400mm (31.50" x 15.75")	3.10"-26.60" (79-676mm)	+15°/-5°	WSP756	Double	
	43"-55"	HA746-STB		80lb (36kg)	400 x 400mm (15.75" x 16.22")	3.97"-22.22" (100-564mm)	+15°/-5°	N/A	Single/Double		
	55"-75"	HPF665		60lb (27kg)	400 x 412mm (15.75" x 15.75")	4.40" (112mm)	N/A	N/A	Double		
	PARAMOUNT	Designer Series	10"-29"	PA730		25lb (11kg)	VESA® 75 and 100mm	2.73"-14.85" (69-377mm)	±15°	WSP700/701	Single
			22"-43"	PA740		80lb (36kg)	VESA® 100, 200 x 100 and 200 x 200mm	2.80"-14.91" (71-379mm)	+15°/-5°	WSP700/701	Single
			32"-50"	PA746		80lb (36kg)	VESA® 100, 200 x 100, 200 x 200, 300 x 200, 300 x 300, 400 x 200, 400 x 300 and 400 x 400mm	2.81"-15.08" (71-383mm)	+15°/-5°	WSP700/701	Single
			39"-75"	PA750		100lb (45kg)	600 x 400mm (23.62" x 15.75")	3.00"-21.35" (76-542mm)	+15°/-5°	N/A	Double
			39"-90"	PA762		150lb (68kg)	600 x 400mm (23.62" x 15.75")	3.00"-21.23" (76-539mm)	+15°/-5°	N/A	Double
			32"-43"	SUA740 for Ultra-thin displays only*		60lb (27kg)	VESA® 200 x 100 and 200 x 200mm	1.74"-24.74" (44-628mm)	+15°/-5°	WSP756	Single
			32"-50"	SUA747PU for Ultra-thin displays only*		60lb (27kg)	400 x 400mm (15.75" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Single
37"-65"			SUA761PU for Ultra-thin displays only*		100lb (45kg)	600 x 400mm (23.62" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Double	
42"-90"			SUA771PU for Ultra-thin displays only*		125lb (57kg)	400 x 400mm (15.75" x 15.75")	1.85"-24.85" (47-631mm)	+15°/-5°	WSP756	Double	
55"-77"			OSUA771PU OLED/QLED for Ultra-thin displays only*		125lb (57kg)	800 x 400mm (31.50" x 15.75")	2.87"-25.87" (73-657mm)	+10°/-3°	WSP756	Double	
37"-65"	IM747PU for Ultra-thin displays only*		80lb (36kg)	400 x 400mm (15.75" x 15.75")	1.94"-25.03" (49-636mm)	+15°/-5°	N/A	Single/Double			
42"-90"	IM771PU for Ultra-thin displays only*		125lb (56.7kg)	800 x 400mm (31.50" x 15.75")	1.98"-24.98" (50-634mm)	+15°/-5°	N/A	Single/Double			

* Designed for use with displays that are less than 3" (75mm) deep

Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall or Ceiling	Tilt Range	Metal Stud Accessory	Single/Double Stud Mounting
Media Storage, Multi-Display & Ceiling Mounts	26"-60"	DST360		150lb (68kg)	VESA® 100 x 100 up to 300 x 300mm	4.28" (109mm) from wall	+20°/-0°	N/A	Single/Double
	40"-70"	DST970X2		250lb (113kg)	600 x 400mm (23.62" x 15.75")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-80"	DST980-3		495lb (225kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-75"	DST975-4		500lb (227kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	37"-42"	DST942-6		480lb (218kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	0°-20°	N/A	N/A
	40"-60"	DST660		125lb (57kg)	VESA® 200 x 100 up to 400 x 400mm	2.83" (72mm) from wall	+10°/-0°	N/A	Double
	40"-95"	DST995		225lb (102kg)	VESA® 200 x 200, 300 x 300, 400 x 200, 400 x 300, and 400 x 400mm	Varies depending on extension column used	0°-15°	N/A	N/A
	40"-65"	DST965		300lb (136kg)	730 x 405mm (28.75" x 15.95")	Varies depending on extension column used	20° fixed	N/A	N/A
	32"-90"	PLCM-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	43.23" (1098mm) from ceiling	+20°/-5°	N/A	N/A
	32"-90"	PLCM-UNL-CP		150lb (68kg)	600 x 400mm (23.62" x 15.75")	44.23" (1123mm) from ceiling	+20°/-5°	N/A	N/A
32"-90"	PLCM-2-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	Varies depending on extension column used	+20°/-5°	N/A	N/A	
Up to 90"	PLCK-UNL		150lb (68kg)	600 x 400mm (23.62" x 15.75")	25.82" (656mm) from ceiling	+20°/-5°	N/A	N/A	
Floor to Ceiling Cable	46"-65"	DSF265L		65lb (29.5kg)	VESA® 600, 400, 300 and 200mm	N/A	N/A	N/A	N/A
	46"-65"	DSF265P	 DSF265P shown	65lb (29.5kg)	VESA® 600, 400, 300 and 200mm	N/A	N/A	N/A	N/A
Modular Mounts	Up to 75"	MOD-FPSKIT100(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	38.47" (977mm) from ceiling	+20°/-5°	N/A	N/A
	Up to 75"	MOD-FPSKIT150(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	57.76" (1467mm) from ceiling	+20°/-5°	N/A	N/A
	Up to 75"	MOD-FCSKIT300(B)		132lb (60kg)	600 x 400mm (23.62" x 15.75")	120.11" (3051mm) floor-to-ceiling	+5°/-5°	N/A	N/A
	46"-90"	MOD-FPS2KIT150(B)		211lb (96kg)	600 x 400mm (23.62" x 15.75")	59" (1.5m) from ceiling	+20°/-5°	N/A	N/A
	46"-90"	MOD-FCS2KIT300(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	118" (3m) floor-to-ceiling	+20°/-5°	N/A	N/A
	46"-90"	MOD-FW2KIT300(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	118" (3m) floor-to-wall	+20°/-5°	N/A	N/A
	46"-90"	MOD-FPP2KIT200(B)		422lb (192kg)	600 x 400mm (23.62" x 15.75")	78" (2m) from floor	+20°/-5°	N/A	N/A
Round Column	Dependent on Mount Used	CMAL		225lb (102kg)	Dependent on Mount Used	N/A	N/A	N/A	N/A
Truss Mount	40"-90"	DSF290		175lb (79kg)	VESA® 100, 200, 300 and 400mm	N/A	N/A	N/A	N/A
I-Beam Mount	Dependent on Mount Used	IMAM* IMAL**		225lb (102kg)	Dependent on Mount Used	N/A	N/A	N/A	N/A

* IMAM for up to 12" Wide Beams **IMAL For 12" to 24.5" Wide Beams



Universal Mounts

DISPLAY MOUNTS

Product Type	Display Size Range	Model(s)	Picture	Max Load	Mounting Pattern (W x H)	Distance From the Wall, Base or Floor	Tilt Range	Metal Stud Accessory	Single/ Double Stud Mounting	
Carts	SMARTMOUNT	42"-86"	SR598ML3		280lb (127kg) display	VESA® 200 x 200 up to 800 x 600mm	47.33"-72.87" (1202-1851mm) from floor	-5°, +1°	N/A	N/A
		42"-86"	SR598ML3E		280lb (127kg) display	VESA® 200 x 200 up to 800 x 600mm	46.88"-72.47" (1191-1841mm) from floor	N/A	N/A	N/A
		42"-86"	SR598ML3T		220lb (99.8kg) display	VESA® 200 x 200 up to 800 x 600mm	31.11"-68.97" (790-1752mm) from floor	-90° - 0°	N/A	N/A
		55" or 65" Samsung Flip 2	SR560-FLIP2		90lb (41kg) display	400 x 400mm (15.75" x 15.75")	64.23" (1632mm) from floor	0°, -4.5°	N/A	N/A
		32"-75"	SR560M		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	68.38" (1736mm) from floor	-5°, 0°	N/A	N/A
		32"-75"	SR575M		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	68.38" (1736mm) from floor	-5°, 0°	N/A	N/A
		32"-75"	SR575K		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	46.12" (1172mm) from floor	0°, +90°	N/A	N/A
		55"-98"	SR598		300lb (136.1kg) display	VESA® 200 x 200 up to 900 x 600mm	68.38" (1736mm) from floor	-5°, 0°	N/A	N/A
		55"/84" Microsoft® Surface™ Hub	SR598-HUB		300lb (136.1kg) display	VESA® 200 x 200 up to 1256 x 608mm	72.44" (1840mm) from floor	-5°, 0°	N/A	N/A
		85" Microsoft® Surface™ Hub 2S.2X	SR598-HUB2		300lb (136.1kg) display	VESA® 200 x 200 up to 900 x 600mm	68.38" (1736mm) from floor	-5°, 0°	N/A	N/A
		50" Microsoft® Surface™ Hub 2S.2X	SR560-HUB2		65lb (29.5kg) display	VESA® 350 x 350mm	48.65"-60.00" (1236-1524mm) from floor	-4.5°, 0°	N/A	N/A
		40"-65"	SR555M		75lb (43.1kg) display	VESA® 200 x 200 up to 400 x 400mm	75.41" (1915mm) from floor	-5°, 0°	N/A	N/A
		40"-55"	SR555E		75lb (43.1kg) display	VESA® 200 x 200 up to 400 x 400mm	78.10" (1983mm) from floor	N/A	N/A	N/A
		32"-75"	SR575E		150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	78.10" (1983mm) from floor	N/A	N/A	N/A
		Stands	SMARTMOUNT	55"-80"	VCM580		335lb (152kg)	VESA® up to 600 x 400mm	18.39"-15.39" (67-391mm) from wall	N/A
42"-86"	SS598ML3				280lb (127kg)	VESA® 200 x 200 up to 800 x 600mm	47.76"-72.42" (1213-1840mm) from wall	N/A	N/A	N/A
32"-75"	SS560F				150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	65.83" (1672mm) from floor	-5°, 0°	N/A	N/A
32"-75"	SS575K				150lb (68.2kg) display	VESA® 200 x 200 up to 600 x 400mm	46.12" (1172mm) from floor	0°, +90°	N/A	N/A
up to 75"	FPZ-600				200lb (90.7kg) per display	VESA® 100, 200 x 100 and 200 x 200mm	72.33" (1837mm) from floor	N/A	N/A	N/A
up to 90"	FPZ-670		200lb (90.7kg) per display	VESA® 200 x 200mm	72.33" (1837mm) from floor	N/A	N/A	N/A		
Desktop & Tablet Mounts		32"-60"	PTS4X4		60lb (27.2kg)	VESA® 200 x 100, 400 x 400mm	20.16"-25.67" 512-652 from desk	+10°/-5°	N/A	N/A
		55"-85"	PTS6X4		115lb (52.2kg)	VESA® 600 x 200mm	23.97"-28.70" 609-729mm from desk	+3°/-0°	N/A	N/A
		26"-37"	HP432-002		80lb (36.4kg)	VESA® 100 x 100, 200 x 100 and 200 x 200mm	see drawings	N/A	N/A	N/A
		32"-47"	HP447		75lb (34.1kg)	VESA® 200 x 100, 200 x 200mm	see drawings	N/A	N/A	N/A
		49"-55"	HP455		75lb (34.1kg)	VESA® 200 x 200, 200 x 400, 300 x 300 and 400 x 400mm	see drawings	N/A	N/A	N/A
		for Tablets less than 0.75" (19mm) deep	PTM200		5lb (2.3kg)	VESA® 75 x 75mm	N/A	N/A	N/A	N/A
		for Tablets less than 0.75" (19mm) deep	PTM400		5lb (2.3kg)	N/A	N/A	±30°	N/A	N/A
		up to 38" monitors	LCT100S		20lb (9kg)	VESA® 75 and 100mm	see drawings	±40°	N/A	N/A
		up to 38" monitors	LCT620A(-G)		8.4lb-17.8lb (3.8kg-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	N/A
		up to 38" monitors	LCT620AD(-G)		8.4lb-17.8lb (3.8kg-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	N/A
		24" to 49" Ultra-Wide Curved Monitors	LCT650SD		60lb (27.2kg)	VESA® 75 x 75mm & 100 x 100mm	see drawings	N/A	N/A	N/A
up to 38" monitors	LCW620A		8.4lb-17.8lb (3.8kg-8.1kg) per arm	VESA® 75 and 100mm	see drawings	+45°/-90°	N/A	Single		



For over 80 years, passion and innovation continue to drive Peerless-AV forward. We proudly design and manufacture the highest quality products, including outdoor displays and TVs, dvLED and LCD video wall systems, complete integrated kiosks, professional carts and stands, and more. Whether a full-scale global deployment or high volume custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way. For more information, visit peerless-av.com.

 peerless-av.com
 800-865-2112