

Energize your team's ideas

A 4K UHD interactive display that's easy to use right out of the box

Energize collaboration with Samsung WAC series interactive displays. Designed for simplicity, these all-in-one collaboration hubs instantly elevate teamwork with an intuitive interface and seamless connectivity. A variety of screen mode options, including split screen and multi-window, enable on-site and off-site users to easily participate. And up to nine screens can be shared simultaneously, ensuring every idea is seen.





WAC Series Interactive Display

Collaboration simplified



Collaboration for every business

Switch pens without changing settings

The dual pen function enables the use of two different writing tools with no downtime. With a nib on each end, users can effortlessly switch between two different colors without needing to change the settings or interrupt the presentation flow.

Better interaction with best-in-class whiteboarding

Integrated video conferencing, whiteboard, touchscreen and embedded web browser mean more dynamic presentations. Up to 40 users at once can jot notes and annotate images. Infinite whiteboarding means your brainstorming sessions will be uninterrupted.

Present multiple ideas at once

See all the information at once with a variety of screen modes, including split-screen and multi-window.

Convenient access to convenient tools

Tools and features like a timer, calculator and screen recording can be added to the home screen bar for quick access.



Customized connectivity

Ideal to reach audiences of any size

With the HDMI Out function, whiteboard screen content can be shared on another screen. Annotate on the WAC series display while the audience watches your every move on an even larger screen. And for added flexibility, you can broadcast to other devices.

Meetings start promptly with USB-C

The 3-in-1 USB-C port enables screen mirroring, touch control and external device charging (max. 65W). Simply connect to the USB-C port and work without hassle.

Wireless two-way sharing on multiple devices

You can connect up to nine devices simultaneously, and share content from the WAC series display to all devices, and from all devices to the WAC series display. And device OS doesn't matter. You can connect to iOS, Mac, Windows, Android, or Chrome OS.



Simplicity at your fingertips

Powered by Android OS

WAC series interactive displays are powered by Android OS. The familiar interface means team members don't need extensive training and can start collaborating right away.

At your fingertips, literally

When inspiration strikes, you can start writing immediately, no pen required. With the WAC series, you can easily annotate with your finger.

Fast setup, fast sign-on

The WAC series interactive display is easy for IT to set up and manage via RMS/MDM/DMS. And quick single sign-on to your cloud drives ensures precious meeting minutes aren't wasted.

Up to 5-year warranty

A 5-year parts and labor warranty leaves you free to worry about more important things.



WAC Series Interactive Display

			WA65C	WA75C	WA86C
	Diagonal Size		65"	75"	86"
	Туре		Direct, 60Hz	Direct, 60Hz	Direct, 60Hz
	Resolution		3,840 x 2,160 (Landscape)	3,840 x 2,160 (Landscape)	3,840 x 2,160 (Landscape)
Panel	Resolution Drightness (Typ.)		400cd/m² (with glass)	400cd/m² (with glass)	400cd/m² (with glass)
	Brightness (Typ.)				
	Contrast Ratio (Typ.)		1,200:1	1,200:1	1,200:1
	Viewing Angle (H/V)		178° (H) /178° (V)	178° (H) /178° (V)	178° (H) / 178° (V)
	Response Time (G-to-G)		8ms	8ms	8ms
peration Hours			16/7	16/7	16/7
ound	Speaker Type		Built-in Speaker (12W x 2CH)	Built-in Speaker (12W x 2CH)	Built-in Speaker (12W x 2CH)
Connectivity	RGB		1	1	1
		Video	HDMI 3 (Rear 2, Front 1), USB C (Front), OPS	HDMI 3 (Rear 2, Front 1), USB C (Front), OPS	HDMI 3 (Rear 2, Front 1), USB C (Front), OPS
	Input	Audio	1 (Stereo Mini Jack)	1 (Stereo Mini Jack)	1 (Stereo Mini Jack)
	Output	USB	5 (2.0 x 1, 3.0 x 4)	5 (2.0 x 1, 3.0 x 4)	5 (2.0 x 1, 3.0 x 4)
		Video	HDMI Out (Rear)	HDMI Out (Rear)	HDMI Out (Rear)
		Audio	1 (Stereo Mini Jack)	1 (Stereo Mini Jack)	1 (Stereo Mini Jack)
		Touch Out	Touch Out 2 (Front 1, Rear 1)	Touch Out 2 (Front 1, Rear 1)	Touch Out 2 (Front 1, Rear 1)
	Internal	Sensor	Eco Sensor	Eco Sensor	Eco Sensor
	External	Control	Touch Input, RS232C In/Out, RJ45 In/Out	Touch Input, RS232C In/Out, RJ45 In/Out	Touch Input, RS232C In/Out, RJ45 In/Out
	Bluetooth / Wi-Fi		Yes (Keyboard / Mouse)	Yes (Keyboard / Mouse)	Yes (Keyboard / Mouse)
	Type		IR	IR	IR
				40 points touch	
	Number of Drawing		40 points touch		40 points touch
	Touch Pen Type		Passive Pen	Passive Pen	Passive Pen
	Object Recognition Range		5mm / 10mm / 15mm	5mm / 10mm / 15mm	5mm / 10mm / 15mm
ouch	Touch Response Time		≤10ms	≤10ms	≤10ms
	Drawing Speed (Touch latency)		≤45ms	≤45ms	≤45ms
	Haze		25%	25%	25%
	Thickness		3.2T	3.2T	3.2T
	Hardness			Tempered Glass	
			Tempered Glass		Tempered Glass
Power	Туре		Internal	Internal	Internal
	Power Supply		AC100-240V 50/60Hz	AC100-240V 50/60Hz	AC100-240V 50/60Hz
		Max (W/h)	385W	385W	486W
	Power Consumption	Typical (W/h)	200W	200W	290W
		Rating (W/h)	350W	400W	500W
		Stand-by (W/h)	0.5	0.5	0.5
		BTU (W/h)	1.313	1,313	1.657
Mechanical Spec	Dimensions Weight	Set	1,488 mm x 897 mm x 88 mm / 58.5 x 35.3 x 3.5 in.	1,709 mm x 1,020 mm x 88 mm / 67.2 x 40.1 x 3.5 in.	1,957 x 1,160 x 99 mm / 77 x 45.6 x 3.9 in.
		Package	1,628 mm x 1,024 mm x 208 mm / 64 x 40.3 x 8.1 in.	1,863 mm x 1,140 mm x 225 mm / 73.3 x 45 x 8.9 in.	2,110 x 1,283 x 225 mm / 83 x 50 x 8.8 in.
		Set	33.9 kg / 74.7 lbs.	45.5 kg /100.3 lbs.	56.5 kg / 124.6 lbs.
		Package	42.9 kg / 94.6 lbs.	57.6 kg / 127 lbs.	74.3 kg / 164 lbs.
	Color		Space Gray	Space Gray	Space Gray
	VESA Mount		600 x 400	800 x 400	800 x 600
	Protection Glass				
			Yes	Yes	Yes
	Stand Type		Wall Mount	Wall Mount	Wall Mount
	Media Player Option Type		OPS Slot support	OPS Slot support	OPS Slot support
	Rotation		Landscape only	Landscape only	Landscape only
	Power Cable Length		3m	3m	3m
			Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black),	Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black),	Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black),
	Accessory		USB Cable, Warranty / QSG	USB Cable, Warranty / QSG	USB Cable, Warranty/QSG
	Operating Temperat	ure	0°C~ 40°C / 32°F~104°F	0°C~ 40°C / 32°F ~ 104°F	0°C~ 40°C / 32°F ~ 104°F
peration	Humidity	urc	10% ~ 80%	10% ~ 80%	10% ~ 80%
Feature					
	Key		Android App Launcher	Android App Launcher	Android App Launcher
	Orientation		Landscape	Landscape	Landscape
	Hardware		Touch Overlay (IR), Front Connectivity, OPS I/F Support (w/OPS Box),	Touch Overlay (IR), Front Connectivity, OPS I/F Support (w/OPS Box),	Touch Overlay (IR), Front Connectivity, OPS I/F Support (w/OPS Box),
	Haluwale		Eco Sensor, WiFi / BT Module Inbox	Eco Sensor, WiFi / BT Module Inbox	Eco Sensor, WiFi / BT Module Inbox
		First screen	Home UI (Multi Windows supported)	Home UI (Multi Windows supported)	Home UI (Multi Windows supported)
		Apps	Note app, Screenshare, Finder, Browser, etc.	Note app, Screenshare, Finder, Browser, etc.	Note app, Screenshare, Finder, Browser, etc.
	Software	WebRTC	Yes	Yes	Yes
		Screen Share	Yes	Yes	Yes
	Internal Player (Embedded H/W)				
		Processor	A55 x 4	A55 x 4	A55 x 4
		RAM	4GB	4GB	8GB
		Storage	32GB	32GB	64GB
		Operating System	Android 11 (AOSP)	Android 11 (AOSP)	Android 11 (AOSP)
curity			802.1 x (WPA2 Enterprise): EAP-TLS, EAP-TTLS, EAP-PEAP	802.1 x (WPA2 Enterprise): EAP-TLS, EAP-TTLS, EAP-PEAP	802.1 x (WPA2 Enterprise): EAP-TLS, EAP-TTLS, EAP-PEAP
-currey			Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black),	Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black),	Power Cord, Remote Controller, HDMI Cable, Touch Pen (2ea, Black),
	Included		USB Cable, Warranty / QSG	USB Cable, Warranty / QSG	USB Cable, Warranty / QSG
Accessories			ODD Cable, Wallality / QDG	OSD Cable, Wallanty / QSG	OSD Cable, Wallality / QSG
	Optional	Stand	N/A (3rd party company stand/mount can be supported through VESA)	N/A (3rd party company stand/mount can be supported through VESA)	N/A (3rd party company stand/mount can be supported through VESA)
		Mount			
arrantv			5 Years	5 Years	5 Years

Learn More samsung.com/display samsung.com/business insights.samsung.com

Product Support 1-866-SAM4BIZ

Follow Us voutube.com/samsungbizusa % @SamsungBizUSA



