SUPERMICRO

SUPERMICRO GOLD SERIES

# Gold Series Servers

## Ready-to-Deploy Best-Selling Server Platforms, Pre-Configured with Key Components for Reduced Lead Times



For Enterprise AI, Compute, Storage, and Edge

May 2026

# Supermicro Ready-to-Ship Gold Series Pre-Configured Systems

Supermicro Gold Series systems take the guesswork out of enterprise server acquisition, with pre-configured systems ready to ship directly from our warehouses. All Gold Series servers are optimized for specific AI, cloud, storage, and edge workloads, and include CPUs, GPUs (enterprise AI only), memory, storage, networking, and power supplies pre-installed and ready to power-on out of the box.



## Purchase with Confidence

Based on our most popular server products, Supermicro Gold Series systems are pre-configured for specific workloads, complete with CPUs, GPUs (enterprise AI only), memory, storage, networking, and power supplies. These configurations have been pre-tested and are ready to go from day one.

## Short Lead Times

Gold Series products are pre-configured and ready to ship, meaning no need to wait for parts and assembly. In most cases, Gold Series systems will ship from Supermicro's warehouse on the next business day.

## Effortless Implementation

Systems are delivered to the customer with components already installed and pre-tested. Simply unpack, rack, and connect power & networking to get started.

# Enterprise Data Center

Maximum Performance and Flexibility Rackmount Platform

**Benefits & Advantages:**

- Single processor configurations
- Compact 1U and 2U form factor maximize compute density per rack unit
- Flexible I/O and storage allows the addition of components as workloads evolve
- Tool-less platform for ease of servicing and maintenance





SUPERMICRO GOLD SERIES

### 1U Hyper



*IaaS – Compute/Virtualization Bare Metal*

| Model | SYS-112H-TN-02-G2 |
|---|---|
| CPU | 32 cores / 2.5GHz (Intel® Xeon® 6 processor) |
| Memory | 1TB (5200MT/s) Total Memory |
| Storage | 1.9TB Total Flash Storage |
| Networking | 25GbE Networking |

### 1U Hyper



*IaaS – Compute/Virtualization Bare Metal*

| Model | AS -1126HS-TN-01-G2 |
|---|---|
| CPU | 64 cores / 3.55GHz (Dual 5th AMD EPYC processors) |
| Memory | 1.5TB (6400MT/s) Total Memory |
| Storage | 1.92TB Total Flash Storage |
| Networking | 25GbE Networking |

### 2U Hyper



*In-Memory Database for AI Inferencing*

| Model | AS -2115HS-TNR-01-G2 |
|---|---|
| CPU | 96 cores / 2.6GHz (5th Gen AMD EPYC™ processor) |
| Memory | 1.5TB (4000MT/s) Total Memory |
| Storage | 15.2TB Total Flash Storage |
| Networking | 200GbE/NDR200 (NVIDIA BlueField®-3 DPU) |

### 2U Hyper



*In-Memory Database & Analytics*

| Model | AS -2115HS-TNR-02-G2 |
|---|---|
| CPU | 96 cores / 2.6GHz (5th Gen AMD EPYC™ processor) |
| Memory | 768GB (5200MT/s) Total Memory |
| Storage | 15.2TB Total Flash Storage |
| Networking | 25GbE Networking |

### 2U Hyper



*Virtualization & Private Cloud Consolidation*

| Model | AS -2126HS-TN-01-G2 |
|---|---|
| CPU | 384 cores / 2.25GHz (Dual 5th Gen AMD EPYC™ processors) |
| Memory | 1.5TB (6400MT/s) Total Memory |
| Storage | 1.92TB Total Flash Storage |
| Networking | 25GbE Networking |

### 2U Hyper



*Virtualization & Private Cloud Consolidation*

| Model | AS -222H-TN-01-G2 |
|---|---|
| CPU | 96 cores / 2.1GHz (Dual Intel® Xeon® 6 processors) |
| Memory | 1TB (6400MT/s) Total Memory |
| Storage | 7.6TB Total Flash Storage |
| Networking | 25GbE Networking |

# Cloud Data Center

All-in-One Rackmount Platform for Cloud Data Centers

**Benefits & Advantages:**

- Efficiency-optimized single processor configuration
- Extremely fast networking fabric for low-latency communication
- High-performance NVMe storage for fast metadata access, logs, and small-block operations
- Tool-less platform for ease of servicing and maintenance





SUPERMICRO GOLD SERIES

## 1U CloudDC



*Compute/Metadata Node for AI Storage Cluster*

| **Model** | **AS -1115CS-TNR-01-G2** |
|---|---|
| CPU | 64 cores / 3.2GHz (5th Gen AMD EPYC™ processor) |
| Memory | 384GB (6400MT/s) Total Memory |
| Storage | 960GB Total Flash Storage |
| Networking | 200GbE/NDR200 Networking |

## 1U CloudDC



*IaaS – Compute/Virtualization Bare Metal*

| **Model** | **SYS-122C-TN-01-G2** |
|---|---|
| CPU | 72 cores / 2GHz (Dual Intel® Xeon® 6 processors) |
| Memory | 1TB (6400MT/s) Total Memory |
| Storage | 7.6TB Total Flash Storage |
| Networking | 25GbE Networking |

# Multi-Node

## High-Density Multi-Node Server

**Benefits & Advantages:**

- Mutli-node design in a 6U or 3U form factor for excellent compute density and storage consolidation
- High-bandwidth DDR5 memory supports mission-critical, enterprise applications
- Integrated NVMe storage offers extremely fast local I/O for databases, logs, and application tiers
- Networking connectivity enables low-latency east-west traffic





SUPERMICRO GOLD SERIES

### 6U SuperBlade®



*FSI, AI, EDA, 3D Rendering & Simulation*

### 6U MicroBlade®



*Web Hosting & Cloud Services*

| Model | SBI-612B-1NE34-01-G2 | MBA-315R-1G-01-G2 |
|---|---|---|
| GPU | 16 cores / 3.2GHz (Intel® Xeon® 6 processor) per node | 12 cores / 3.4GHz (5th Gen AMD EPYC™ processor) per node |
| Memory | 128GB (6400MT/s) Total Memory per node | 32GB (5600MT/s) Total Memory per node |
| Storage | 1.92TB Total Flash Storage per node | --- |
| Networking | Up to 4x 25G Ethernet switches on the enclosure | Up to 4x 25G Ethernet switches on the enclosure |

### 3U 8-Node MicroCloud



*Hosting & Cloud Gaming*

| Model | AS -3015MR-H8TNR-01-G2 |
|---|---|
| CPU | 16 cores / 4.3GHz (5th Gen AMD EPYC™ processor) per node |
| Memory | 64GB (5600MT/s) Total Memory per node |
| Storage | 3.84TB Total Flash Storage per node |
| Networking | 2-port 10GbE/25GbE AOC per node |

# Workstation

Versatile Architecture in Business, Hosting, and Edge Deployments

**Benefits & Advantages:**

- Performance-optimized 1U platform at an affordable price
- Compact form functions as a a mainstream server, rack workstation, and edge AI inference node
- Flexible high-speed networking allows seamless integration into existing network infrastructures





SUPERMICRO GOLD SERIES

## 1U Mainstream



*Remote Office/Branch Office Infrastructure*

| **Model** | **AS -1015A-MT-01-G2** |
|---|---|
| CPU | 16 cores / 4.5GHz (5th Gen AMD EPYC™ processor) |
| Memory | 32GB (5600MT/s) Total Memory per node |
| Storage | 1.92TB Total Flash Storage per node |
| Networking | 1GbE Networking |
| Management | Dedicated IPMI |

# Client System

The most reliable computing machines for your daily needs

**Benefits & Advantages:**

- Space-saving form factor optimized for AI PC, edge computing, and entry-level office deployment
- Powered by Intel or AMD CPU to deliver exceptional performance for AI processing, multitasking, and compute-intensive applications
- Enterprise-grade connectivity to fulfill all kinds of needs
- Windows 11 Pro pre-loaded





SUPERMICRO GOLD SERIES

## Mid-Tower AI PC



*Enterprise Agentic AI Client*

| Model | SYS-C542i-11302U |
|---|---|
| CPU | 20 cores / 5.30GHz (Intel® Core™ Ultra 7 processor) |
| Memory | 32GB (5600MT/s) Total Memory |
| Storage | 1TB Total Flash Storage |
| Networking | 1GbE Networking |

## Slim Tower System



*Commercial SMB Desktop*

| Model | AS -C521D-31101U |
|---|---|
| CPU | 4 cores / 5.1GHz (4th Gen AMD EPYC™ processor) |
| Memory | 16GB (5600MT/s) Total Memory |
| Storage | 1TB Total Flash Storage |
| Networking | 5GbE Networking |

## Slim Tower System



*Compact AI-Ready Slim Tower*

| Model | AS -C521D-11302U |
|---|---|
| CPU | 8 cores / 5.5GHz (AMD Ryzen™ 7 processor) |
| Memory | 32GB (5600MT/s) Total Memory |
| Storage | 1TB Total Flash Storage |
| Networking | 5GbE Networking |

# Large-Scale AI Inference

Multi-GPU Building Block for Large-Scale AI Inference and HPC Applications

**Benefits & Advantages:**

- Powered by NVIDIA HGX™ B300 8-GPU to deliver extreme compute density for large-scale, multi-tenant AI inference and PaaS workloads
- Latest Intel and AMD high-performance CPUs provides high core-count performance for intensive AI serving pipelines
- High-bandwidth DDR5 memory supports large model hosting, fast batching, and high concurrency
- High-performance NVMe storage enables rapid model loading, caching, and high-throughput data access





SUPERMICRO GOLD SERIES

### 8U 8-GPU System



*Large-Scale AI Inference Serving*

| Model | SYS-822GS-NB3RT-01-G2 |
|---|---|
| GPU | NVIDIA HGX™ B300 8-GPU |
| CPU | 128 cores / 2.4GHz (Dual Intel® Xeon® 6 processor) |
| Memory | 2TB (6400MT/s) Total Memory |
| Storage | 960GB Total Flash Storage |
| Networking | 8-port XDR800 or 16-port 400GbE |

### 8U 8-GPU System



*Large-Scale AI Inference Serving*

| Model | SYS-822GS-NB3RT-02-G2 |
|---|---|
| GPU | NVIDIA HGX™ B300 8-GPU |
| CPU | 128 cores / 2.3GHz (Dual Intel® Xeon® 6 processors) |
| Memory | 2TB (6400MT/s) Total Memory |
| Storage | 960GB Total Flash Storage |
| Networking | 8-port XDR800 or 16-port 400GbE & 2-port 200GbE |

### 8U 8-GPU System



*Large-Scale AI Inference Serving*

| Model | AS -8126GS-NB3RT-01-G2 |
|---|---|
| GPU | NVIDIA HGX™ B300 8-GPU |
| CPU | 128 cores / 3.3GHz (Dual 5th Gen AMD EPYC™ processors) |
| Memory | 3TB (6400MT/s) Total Memory |
| Storage | 61.4TB Total Flash Storage |
| Networking | 8-port XDR800 or 16-port 400GbE<br>4-port 200GbE/NDR200 |

# AI Inferencing & Training

Multi-GPU Configuration Optimized for Generative AI, Physical AI, Graphics, Scientific Computing, and Video Applications

**Benefits & Advantages:**

- Powered by NVIDIA RTX PRO™ 6000 Blackwell Server Edition to provide next-generation performance and efficiency
- High memory bandwidth ensures excellent throughput for large model hosting, batching, and high concurrency
- High-performance NVMe storage enables rapid model loading and local caching
- 10GbE networking integrates smoothly into standard enterprise fabrics for scalable, distributed deployments





SUPERMICRO GOLD SERIES

## 4U 4-GPU System



## 4U 8-GPU System



| | *PaaS - Agent Flow AI Inference* | *PaaS - Agent Flow AI Inference* |
|---|---|---|
| **Model** | **SYS-422GA-NRT-01-G2** | **SYS-422GA-NRT-02-G2** |
| GPU | NVIDIA RTX PRO™ 6000 Blackwell Server Edition | NVIDIA RTX PRO™ 6000 Blackwell Server Edition |
| CPU | 144 cores / 2.7GHz (Dual Intel® Xeon® 6 processors) | 144 cores / 2.7GHz (Dual Intel® Xeon® 6 processors) |
| Memory | 1TB (6400MT/s) Total Memory | 1.5TB (6400MT/s) Total Memory |
| Storage | 7.6TB Total Flash Storage | 7.6TB Total Flash Storage |
| Networking | 10GbE Networking | 2-port 400GbE & 2-port 200GbE |

## 5U 2-GPU System



## 2U 2-GPU System



| | *SaaS - Agent Flow AI Inference* | *SaaS - Agent Flow AI Inference* |
|---|---|---|
| **Model** | **AS -5126GS-TNRT-01-G2** | **SYS-212GB-FNR-01-G2** |
| GPU | NVIDIA RTX PRO™ 6000 Blackwell Server Edition | NVIDIA RTX PRO™ 6000 Blackwell Server Edition |
| CPU | 64 cores / 3.55GHz (Dual 5th Gen AMD EPYC™ processors) | 32 cores / 2.5GHz (Intel® Xeon® 6 processor) |
| Memory | 1.5TB (6400MT/s) Total Memory | 512GB (6400MT/s) Total Memory |
| Storage | 960GB Total Flash Storage | 3.84TB Total Flash Storage |
| Networking | 10GbE Networking | 10GbE Networking |

# Super AI Station

NVIDIA GB300 Performance.  Supermicro Ingenuity.  From Desk to Data Center

**Benefits & Advantages:**

- Data center-level performance in a local AI supercomputer
- Same NVIDIA GB300 architecture as large AI factories
- Deploy as a deskside tower or mounted in a 5U rack slot
- Run AI agents and models securely minimizing external risks from storing and processing proprietary data on public clouds





SUPERMICRO GOLD SERIES

## Super AI Station



*AI Agent Development and Deployment*

| | |
|---|---|
| **Model** | **ARS-511GD-NB-LCC-01-G2** |
| GPU | NVIDIA GB300 Blackwell Ultra Desktop Superchip |
| Memory | 748GB of coherent memory |
| Storage | 3.84TB Total Flash Storage |
| Networking | 2-port 400GbE & 1-port 10GbE |

# Front Loading Storage

High-Capacity Configuration Optimized for Software-Defined Storage, HPC Workloads, Object Storage, Video Streaming, Cold Archive, and Media Content Delivery

**Benefits & Advantages:**

- 2U form factor with eight 24TB HDDs for large datasets and virtual machine storage pools
- High memory bandwidth improves performance of caching layers, metadata services, and storage controllers
- 25GbE dual-port networking design ensures fast data movement and low-latency access



Front Loading Storage

SUPERMICRO GOLD SERIES

## 2U CloudDC



*Storage Hardware for IaaS*

| Model | AS -2015CS-TNR-01-G2 |
|---|---|
| CPU | 48 cores / 3.15GHz (5th Gen AMD EPYC™ processor) |
| Memory | 768GB (6400 MT/s) Total Memory |
| Storage | 8TB Total Flash Storage<br>192TB Raw Storage Capacity (AMD EPYC™ integrated SATA) |
| Networking | 25GbE Networking |

# Simply Double Storage

Large-Scale Storage Building Block in a Standard Rackmount Form Factor

**Benefits & Advantages:**

- Unique dual-loading design improves density without impacting serviceability
- Direct access to 24 drives with ease
- Dense HDD storage system for data lifecycle management and multi-cloud data protection
- Pre-configured and pre-tested with SAS controller



Simply Double Storage

SUPERMICRO GOLD SERIES

**2U Simply Double**



*Big Data Analytics/Content Repository*

| **Model** | **ASG-2015S-E1CR24L-01-G2** |
|---|---|
| CPU | 32 cores / 2.7GHz (4th Gen AMD EPYC™ processor) |
| Memory | 512GB (4800 MT/s) Total Memory |
| Storage | 528TB Raw Storage Capacity<br>960GB Total Flash Storage |
| Networking | 100GbE Networking |
| Storage Controller | Broadcom® 3808 HBA |

# Top-Loading Storage

Accessibility and Efficiency for Large-Scale Data Centers

**Benefits & Advantages:**


- Ideal mix of storage density, efficiency, and economy for large-scale object storage and data lake applications
- Front-access drawer architecture allows easy access to drives
- Tool-less drive brackets simplify installation and maintenance



Top-Loading Storage

SUPERMICRO GOLD SERIES

## 4U 2-Node Top-Loading



*Cloud-Scale Object Storage*

| Model | SSG-542B-DE1CR90-01-G2 |
|---|---|
| CPU | 36 cores / 2GHz (Intel® Xeon® 6 processor) per node |
| Memory | 512GB (5200 MT/s) Total Memory per node |
| Storage | 1,080TB Raw Storage Capacity (Broadcom® 3816 HBA) per node<br>1.9TB Total Flash Storage per node |
| Networking | 200GbE/HDR200 Networking per node |

# Intelligent Edge

## Compact Systems for the Intelligent Edge, Ready to be Deployed in Remote Environments or Integrated into Specialized Equipment

**Benefits & Advantages:**

- Power-efficient compute and performance to environments, such as retail, manufacturing, healthcare, and public spaces
- Ready to be deployed in remote environments or integrated into existing infrastructure

### 1U Ultra-Short Depth



*Low-Noise Embedded System*

| Model | SYS-111AD-HN2-01-G2 |
|---|---|
| CPU | 12 cores / 2.1GHz (Intel® Core™ i7 processor) |
| Memory | 64GB (5600MT/s) Total Memory |
| Storage | 3.8TB Total Flash Storage |
| Networking | 2.5GbE Networking |

### Fanless Edge AI System



*Real-Time Edge AI Inferencing*

| Model | ARS-E103-JONX-H2-01-G2 |
|---|---|
| CPU | 8 cores / 1024 CUDA cores / 32 Tensor cores (NVIDIA® Jetson Orin™ NX) |
| Memory | 16GB Onboard Memory |
| Storage | 256GB Total Flash Storage |
| Networking | 10GbE Networking |

### Compact Edge System



*Branch Office / Store Appliance*

| Model | AS -E300-14GR-01-G2 |
|---|---|
| CPU | 16 cores / 3.0GHz (5th Gen AMD EPYC™ processor) |
| Memory | 32GB (5600MT/s) Total Memory |
| Storage | 960GB Total Flash Storage |
| Networking | 1GbE Networking |

### Compact Edge System



*Branch Office / Store Appliance*

| Model | SYS-E300-14AR-01-G2 |
|---|---|
| CPU | 14 cores / 3.0GHz (Intel® Core™ Ultra 5 processor) |
| Memory | 32GB (5600MT/s) Total Memory |
| Storage | 960GB Total Flash Storage |
| Networking | 10GbE Networking |

# System Management Software

## Leverage Supermicro's management software suite to meet your IT infrastructure challenges

With a comprehensive range of high-end software solutions, Supermicro gives IT administrators the tools to optimize the management of IT systems and increase the utilization of computing and storage infrastructure. Whether you are looking to manage individual systems, optimize server lifecycle processes, or streamline operations for an entire data center, Supermicro has the right software to help you accomplish your goals.

**Monitoring**

- Obtain valuable insights in your infrastructure
- Monitor the health of servers and critical components
- Get proactive alerts

**Continuity**

- Maintain system uptime to meet SLAs
- Early symptom detection to prevent component failure
- Remote management and troubleshooting

**Security**

- Protect your IT infrastructure from external threats
- Centralized patch and BIOS management
- Extensive security features

## System Management Software Suite Bundles

Supermicro's System Management Software Suite consists of a set of specialized applications. These are available in the following bundles.

| Suite Bundle | Standard | Basic | Advanced | Enterprise |
|---|---|---|---|---|
| Description | Covers all core functionality to effectively set up, manage, and monitor your Supermicro systems. These features are available to all Supermicro users. | Extends the core functionality and makes system management easier with additional features, such as remote BIOS management and system updates. | Delivers a broad set of tools to help administrators improve the performance, up-time, and monitoring of Supermicro systems. | Offers an extensive platform to manage large data centers and coordinate automated lifecycle management, software-defined infrastructure, and more in a single pane of glass. |
| License | No license required | SFT-OOB-LIC | SFT-DCMS-SINGLE | SFT-DCMS-SINGLE + SFT-SDDC-SINGLE |
| Key Features* | Secure remote console (KVM/ HTML5)<br>System temperature monitoring<br>System power thresholds & alerts<br>Component monitoring<br>Email alerting<br>Remote configuration<br>Offline diagnostics<br>Crash dump<br>License management | Remote BMC management<br>Remote BIOS management<br>Out-of-Band systems checks<br>TPM Provisioning<br>Mount/Unmount ISO images from Samba/HTTP<br>Basic Redfish APIs<br>CIM management<br>SysLog | Remote OS deployment<br>Auto-discovery<br>Power capping<br>RAID monitoring and configuration<br>HDD monitoring<br>Advanced Redfish APIs<br>FW update policy<br>System lock down<br>Crash screen/video capture | 3rd Party vendor support<br>POD & Rack-level management<br>SDI Lifecycle management<br>Manage Composable Disaggregated Infrastructure<br>Zero-touch provisioning for network configuration<br>Single pane of glass for data center deployment<br>Rich analytics & telemetry<br>User defined role-based access control |

** For detailed information, please check with your Supermicro sales representative or refer to Supermicro website:*
**https://www.supermicro.com/en/solutions/management-software**



# Better

Better Performance
Per Watt and Per Dollar


# Faster

First-to-Market Innovation with the
Highest Performance Server Designs



# Greener

Reduced Environmental
Impact and Lower TCO




**Worldwide Headquarters**
Super Micro Computer, Inc.
980 Rock Ave.
San Jose, CA 95131, USA
Tel: +1-408-503-8000
Fax: +1-408-503-8008
E-mail: Marketing@Supermicro.com

**EMEA Headquarters**
Super Micro Computer, B.V.
Het Sterrenbeeld 28, 5215 ML,
's-Hertogenbosch, The Netherlands
Tel: +31-73-640-0390
Fax: +31-73-641-6525
E-mail: Sales_Europe@supermicro.com

**APAC Headquarters**
Super Micro Computer, Taiwan Inc.
3F, No. 150, Jian 1st Rd., Zhonghe Dist.,
New Taipei City 235, Taiwan
Tel: +886-2-8226-3990
Fax: +886-2-8226-3991
E-mail: Marketing@Supermicro.com.tw


MKT-0002-05/2026-R19

**www.supermicro.com**

©Super Micro Computer, Inc. Specifications subject to change without notice. All other brands and names are the property of their respective owners. All logos, brand names, campaign statements and product images contained herein are copyrighted and may not be reprinted and/or reproduced, in whole or in part, without express written permission by Supermicro Corporate Marketing.

Please Recycle