

Yealink's Core Offerings for Microsoft Teams

Yealink offers a full portfolio of meeting solutions for Microsoft Teams, enabling professionals to work the way they prefer in meeting rooms, offices, and on-the-go, whether they are working remotely or in-office. This Teams-tailored experience helps joint customers realize the vision of Intelligent Communication, backed by a top-tier, one-stop UC endpoint solution provider.



The One-stop Solution

Full portfolio Microsoft Teams solutions, for all scenarios from huddle space to ProAV rooms



Al Powered

Intelligent meeting solutions to enhance meeting equity with Al audio & video technology



Security Promised

Privacy protected, globally certified, and independently audited for security.




Global Coverage & Support Services

Professional support and post-sales services for worldwide customers









Full Portfolio Video Devices for Microsoft Teams



Yealink offers a comprehensive video conferencing solution for Microsoft Teams, catering to spaces ranging from huddle rooms to extra-large meeting areas. Android-based solutions provide all-in-one convenience, while Windows-based solutions deliver premium, intelligent meeting experiences. Interactive Microsoft Teams Rooms solutions seamlessly transition the modern workspace into a collaborative environment. Regardless of the solution you choose, with Yealink's video conferencing solution, users can enjoy Al-powered video and audio experiences, enhancing meeting equity and face-to-face meeting experiences in hybrid work environments.

Microsoft Teams Rooms on Android



MeetingBar A10 for standard small rooms

All-in-one video bar designed for standard spaces

120° field of view, 4K camera, Al-powered video features

(1)) Full-duplex audio and Al-enhanced Noise Cancellation

Single screen support

Quick setup and easy to manage



MeetingBar A30 for medium rooms

All-in-one video bar for medium rooms

O Dual-4K Camera System with digital and optical camera support

(1) 8 MEMS mic arrays, 2x built-in speakers

Dual screen support

Plug-and-play setup and easy management

Support 2x extension mics



MeetingBar A40 for premium small and medium rooms

All-in-one video bar for premium small and medium rooms

One-Cable Solution for deployment, sharing and BYOD

Dual-eye camera with Al features

Al Al-Enhanced audio system

i∰i support latest Android 13 and beyond, MDEP coming

(1) Standard PD power supply for PC

Specifications

MeetingBar A10

MeetingBar A10 Package

- · MeetingBar A10
- · 3 m Ethernet cable
- · 1.8 m HDMI cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

Camera

- · 4K Camera
- · 120° FoV
- · 4x e-PTZ camera
- · Electric privacy shutter
- · Al Feature
- Auto Framing
- Speaker Tracking

Audio

- · Built-in microphone array
- · Built-in high fidelity speaker
- · AI-Enhanced Noise Cancellation Technology
- Full-duplex
- · Echo cancellation

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- · Meeting control:
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang

MeetingBar A30

A30 -Teams Package

- · MeetingBar A30
- · 3m Ethernet cable
- · 2 x 1.8m HDMI cable
- · Mounting Bracket and Accessories
- · Power adapter
- · Quick Start Guide

Dual Camera System

Wide Camera:

- · 8MP Camera
- · Field of view: 120°
- · 4x e-PTZ Camera

Telephoto Camera:

- · 8MP Camera
- · Field of view: 90°
- · 3.5x optical zoom
- · Horizontal Rotation

Angle: +25°/-25°

- · Vertically Rotation Angle: +16°/-16°
- · Electric Privacy Shutter
- · Intelligence Features

- Speaker Tracking

- Auto Framing
- (including conversation mode)

Audio

- · Built-in 8 MEMS microphone array
- · Support extention mic
- · Two Built-in 5W high fidelity speakers
- · Al-Enhanced Noise Cancellation Technology
- · Beamforming directed voice pickup technology
- · Full-duplex
- · Echo cancellation
- · Acoustic shield
- · Video fence

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down
- Hang up
- Microsoft DM
- Proximity join

MeetingBar A40

MeetingBar A40 Package

- · MeetingBar A40
- · 3m Ethernet cable
- · 1.8m HDMI cable*2
- · TV-Clip Mount*1
- · Wall Mount*1
- · Power Adapter
- · Quick Start Guide

Camera

- · 2*48MP camera
- · 120° field of view
- · 6x digital zoom camera
- Electric privacy shutter
- Al feature:
- *IntelliFocus
- *Auto Framing
- *Video Fence
- *Speaker Tracking *People Counting
- *Picture-in-Picture

Audio

- · Built-in 8MEMS microphone
- · Support 2x expansion microphone
- Built-in 2 x 10W speakers
- · Al-enhanced Noise Cancellation Technology
- · Full-Duplex
- · Echo Cancellation
- · Audio Fence

Meeting Features

- · Calendar
- · One-click join
- · Meeting collaboration
- Content sharing
- Whiteboard
- · Meeting control
- Add participates
- Hold/Resume
- Camera On/Off
- Mute/Unmute
- Volume Up/Down - Hang up
- Microsoft DM
- Proximity join

Microsoft Teams Rooms System on Windows

Complete Bundle Solution

The Yealink MVC series is a bundle video solution for Microsoft Teams Rooms (MTR) that includes everything you need to interact, connect, and collaborate with internal and external users seamlessly and intelligently, covering every scenario from small to extra-large spaces.



Consistent Teams Experience

- · Easy to Use
- · One-touch to join



Wired & Wireless Sharing

· High stability and flexibility



Simplified Cabling System

- · Clean and tidy desk with minimal cables
- · Shorten deployment time



Al-Powered ProAudio Solution

- · Pro-level audio clarity with Al dynamic noise reduction
- · Internal DSP for direct Integration

Tailored Audio and Video Experience for Diverse Meeting Rooms



MVC S60 small signature room

\square ()

SmartVision 360° intelligent camera

10K 360° all-in-one camera, Speaker Tracking, Multi-Stream People Feed, Copilot Integration, Voice and Face Recognition



Built-in microphone arrays and speaker 6 microphone arrays for meeting audio, 6+1 microphone arrays for Al audio





MVC S40 for small to medium rooms (up to 12 users)

SmartVision40

all-in-one USB Video Bar Al features: IntelliFocus, Video Fence, 2x 48MP camera. 120° FoV



Al-Enhanced Noise Cancellation, full duplex, 6m voice pickup range





MVC860 for medium and large rooms (12-18 users)



UVC86

Dual-eye 4K intelligent tracking camera, 12x optical zoom, Auto Framing, Speaker Tracking and Presenter Tracking



VCM35

360° 20ft vioce pickup range, cascade connection up to 8 units





MVC S90 for Pro-AV Rooms (>18 users)




Multiple UVC86

Dual-eye 4K intelligent camera, featured 4K sensor and 12x optical zoom, Auto Framing, Speaker Tracking, Presenter Tracking and Multi-camera Intelliframe.



Flexible Audio Options

work with CM20/CS10 ceiling ProAudio solution, VCM35 wired microphone, and flexible audio options with Shure, Biamp, Extron, etc.



Yealink MCore Kits

MCoreKit-C0-MS





MCore Lite



Intel i3, 1x HDMl out supporting 21:9 display, built-in CEC chip.



MTouch E2

8 inches IPS screen, multiple deployment options

MCoreKit-C4-MS



MCore Pro



Intel i5,3x HDMl out supporting 21:9 displays, built-in CEC chip and EDID module



MTouch E2

8 inches IPS screen, multiple deployment options

MCoreKit-C5-MS



MCore Pro



Intel i5,3x HDMI out supporting 21:9 displays, built-in CEC chip and EDID module




MTouch Plus

11.6 inches IPS screen, multiple deployment options

Mcore ensures simplified and convenient user experiences in video conferencing systems with CEC and EDID technologies, reducing setup time and technical issues. Its dedicated design for meeting rooms includes an Ethernet connection between the miniPC and Control Panel, providing flexibility and stable connectivity for seamless collaboration.

Room Scheduling Solution



RoomPanel

Intelligent Room Scheduling Solution

- -8-inch touchscreen
- -Vibrant colored LED bar
- -Support POE or DC power
- -Remote device management



RoomPanel plus

Intelligent Room Scheduling Solution

- -10-inch touchscreen
- -Vibrant colored LED bar
- -Support POE or DC power
- -Flexible deployment
- -Remote device management



Yealink offers an intelligent room scheduling solution with RoomPanel and RoomPanel Plus, tailored for efficient workspace management. These all-in-one solutions, with 8-inch and 10-inch displays running on Android, streamline meeting space management and simplifying room booking processes.

Al-Powered ProAudio Solution

CM20

Al-Powered Beamforming Ceiling Microphone

- · 16-array beamforming microphone
- · Al-powered sound processing
- · 4-meter pickup radius



CS10


Network Ceiling speaker

- · PoE-Enabled Active Speaker
- · 2-way coaxial, low-profile design
- · Acoustically fine-tuned for video conference



Seamless Integration with the Room System

- · Pro-level audio clarity
- · Versatile ceiling integration
- · Al dynamic noise & reverberation reduction
- · Audio over IP network for deployment efficiency
- · Built-in DSP for simplicity Integration
- · Plug-and-play compatibility with MVC systems



Module	Features		MVC S60		
	Target Room S	Size	Small signature rooms		
	Mini-PC		MCore Pro		
Components	Touch Console & Sharing Device		Yealink MTouch Plus		
	USB Camera		SmartVision 60 AIO intelligent camera		
	Audio		Built-in microphone arrays and speaker		
	MVC-BYOD-Extender		NA		
	CPU		11th-gen Intel i5 quad-core chipset		
	Memory		8GB (2*4GB)		
	Storage Video Output		128GB SSD		
	Video Output		3x HDMI, CEC supported		
Mini-PC	USB		4x USB3.0 √		
	EDID Built-in				
	Wi-Fi		√ √		
	Bluetooth Yealink MTouch Port		v √		
	Cable Manage		√ √		
	Console	ment	MTouch Plus touch console		
	Console Screen Size		11.6 inches IPS screen		
	Screen Resolution		1920 x 1080		
	Bracket		Adjustable 50°~180° (Angle between screen and desktop:30°~70°)		
	Human Motion Sensor		Work with RoomSensor via BLE		
Touch Console	3.5mm Audio Port		$\sqrt{}$		
	USB-A Port		1x USB-A Port, connect to USB audio device if necessary		
	Content Sharing Resolution / Frame Rate		1080P / 30FPS		
	Video Input Int	erface for Content Sharing	HDMI & USB-C		
	Built-in Wi-Fi AP for Content Sharing		\checkmark		
	UVC Protocol		UVC 1.5		
	Zoom		5x digital Zoom		
	Resolution / Frame Rate		10K Camera		
	Field of View (diagonal)		360°		
Camera Features	Pan/Tilt range		EPTZ		
	Auto Framing		x		
	Speaker Tracking		$\sqrt{}$		
	Presenter Trac	0	x		
		fulti-Stream People Feed)	√ A0100 0/0V/ LID01FV/0 (A L I		
	Power Adapter		AC 100~240V input and DC 15V/2.4A output		
AVHub	Camera Layou		NA		
AVIOD	Maximum Number of Cameras Audio Ports		NA		
			100 Hz - 22K Hz		
		Frequent Response RMS	100 Hz - 22K Hz 5W		
	Speaker	THD	1%		
		Maximum Speakers	NA		
Audio Features	Microphone Microphone		6 microphone arrays for meeting audio		
			6+1 microphone arrays for Al audio		
	3rd Party DSP System Compatibility		NA		
	Operating System		Windows 11 IoT Enterprise OS & License		
Preload	Microsoft Tear		\checkmark		
	Yealink RoomConnect Device Management Agent		√		
Device	Windows Update Yealink Device Management Platform (Cloud Service)		√ √		
Management	Platform/Cloud Service				
Management	Microsoft SCC	M	\checkmark		

Module	Features		MVC S40		
	Target Room Si	ze	small-to-medium rooms		
Components	Mini-PC		Mcore Pro		
	Touch Console & Sharing Device		Yealink MTouch E2		
	USB Camera		SmartVIsion 40 intelligent camera		
	Audio		Built-in microphone arrays and speakers		
	MVC-BYOD-Extender CPU		NA		
			11th-gen Intel i5 quad-core chipset		
	Memory		8GB (2*4GB)		
	Storage Video Output		128GB SSD		
	Video Output		3x HDMI, CEC supported		
Mini-PC	USB		4x USB3.0		
	EDID Built-in		√ 		
	Wi-Fi		√ 		
	Bluetooth	8.1	√ 		
	Yealink MTouch		√ 		
	Cable Management		Attack 50 book assault		
	Console		MTouch E2 touch console		
	Screen Size		8-inch IPS screen		
	Screen Resolut	ion	1280 x 800		
	Bracket		Angle adjustable bracket (28° - 50°)		
	Human Motion		Human Motion Sensor		
Touch Console	3.5mm Audio Port		√		
	USB-A Port		x		
	Content Sharing Resolution / Frame Rate		1080P/30FPS		
		erface for Content Sharing	HDMI/USB-C video input		
	Built-in Wi-Fi AP for Content Sharing		$\sqrt{}$		
	UVC Protocol		UVC1.0		
	Zoom		6x digital zoom		
	Resolution / Fra		4k / 60FPS		
	Field of View (di	iagonal)	120°		
Camera Features	Pan/Tilt range		EPTZ		
	Auto Framing		\checkmark		
	Speaker Trackir		√		
	Presenter Track		√		
	IntelliFrame (Multi-Stream People Feed)		×		
	Power Adapter		AC 100~240V input and DC 15V/2.4A		
	Camera Layout				
AVHub	Maximum Numb	per of Cameras	NA		
	Audio Ports				
		Frequent Response	80-20kHz(-10dB)		
	Speaker	RMS	20W		
		THD	<1%		
		Maximum Speakers	2		
Audio Features	Microphone		8 MEMS microphone array		
	3rd Party DSP System Compatibility		NA		
	Operating Syste	em	Windows 11 IoT Enterprise OS & License		
Preload	Microsoft Teams Rooms App		· ·		
5.000	Microsoft Teams Rooms App Yealink RoomConnect Device				
	Yealink RoomConnect Device Management Agent		\checkmark		
	Windows Update		\checkmark		
Device Management	Yealink Device Management Platform/Cloud Service		√		
iviai iagei ilei il	Microsoft SCCM		√		

MVC860



MVC S90



Large rooms	Pro-AV rooms		
Yealink MCore Pro	MCore Pro		
Yealink MTouch Plus	Yealink MTouch Plus		
Yealink UVC86 4K Dual-Eye intelligent camera	2×Yealink UVC86 4K dual-eye intelligent camera		
2x VCM35 array microphones Yealink soundbar MSpeaker II	Flexible options		
Optional	· · · · · · · · · · · · · · · · · · ·		
11th-gen Intel i5 quad-core chipset	11th-gen Intel i5 quad-core chipset		
8GB (2*4GB)	8GB (2*4GB)		
128GB SSD	128GB SSD		
3x HDMI, CEC supported	3x HDMI, CEC supported		
4x USB3.0	4x USB3.0		
√	√ √		
√	√ ·		
· √	v √		
v √	v √		
v √	V √		
MTouch Plus touch console			
	MTouch Plus touch console		
11.6 inches IPS screen	11.6 inches IPS screen		
1920 x 1080	1920 x 1080		
Adjustable 50° ~ 180° (Angle between screen and desktop: 30° ~ 70°)	Adjustable 50°~180° (Angle between screen and desktop:30°~70°)		
Work with RoomSensor via BLE	Work with RoomSensor via BLE		
√	√		
1x USB-A Port, connect to USB audio device if necessary	1x USB-A Port, connect to USB audio device if necessary		
1080P / 30FPS	1080P / 30FPS		
HDMI & USB-C	HDMI & USB-C		
\checkmark	√		
UVC 1.0	UVC 1.0		
20X HD zoom (12X optical, 1.7 digital)	20X HD zoom (12X optical, 1.7 digital)		
4K / 30FPS	4K / 30FPS		
90°	90°		
±100° Pan, +40°/-90° tilt	±100° Pan, +40°/-90° tilt		
\checkmark	\checkmark		
$\sqrt{}$	\checkmark		
\checkmark	\checkmark		
x	Coming soon		
AC 100~240V input and DC 48V/0.7A output	AC 100~240V input and DC 48V/0.7A output		
	\checkmark		
NA	9		
	1x RCA-in, 1x RCA out, 1x 6.3 mm line-in, 1x 6.3 mm line-out		
100 Hz - 20K Hz			
10W			
1.00%			
Up to 4	MA		
2x VCM35 tabletop mics	NA NA		
Built-in 3-mic array			
360°, 10ft (3-meter) voice pickup range			
Cascade connection up to 8 units			
Compatible with 3rd party DSP systems including Shure,	Compatible with 3rd party DSP Systems		
Biamp, Q-SYS, etc.	including Shure, Biamp, Q-SYS, etc.		
Windows 11 IoT Enterprise OS & License	Windows 11 IoT Enterprise OS & License		
\checkmark	√		
V	√		
\checkmark	√		
√ √	v √		
√ -/	√		
\checkmark	$\sqrt{}$		

Interactive Microsoft Teams Rooms



MeetingBoard

Yealink offers an interactive Microsoft Teams Rooms solution for various scenarios, whether it's an open space, or a meeting room of various sizes. The MeetingBoard Series add collaboration into video conferencing, delivering a fantastic meeting experience.

MeetingBoard Series

Fantastic Meetings On Board

- · All-in-one design
- · Premium audio and video experience
- · Fast and precise camera Al
- · Smart collaboration whiteboard
- · Multi-accessories to fit in all workplaces
- · Windows OPS module





Small Room

Brainstorm with a shared whiteboard.

MeetingBoard65 | CTP18



Medium Room

Fantastic meetings with superb audio and video.

MeetingBoard65 | 12x PTZ cam | CTP18



Large Room

Pro meetings, plug-and-play.

MeetingBoard86 | ETV86 | 12x PTZ cam | VCM36x2 | CTP18



Training Room

Contents shared, knowledge learned.

MeetingBoard86 | ETV86 | 12x PTZ cam



Co-create space

Keep ideas flowing with the MeetingBoard.

MeetingBoard65 | Floor Stand



Manager Office

Come to share your great ideas.

MeetingBoard65 | Floor Stand

MeetingBoard Specifications

Module



OS	OS	Android 10	
Chipset	SoC	QUALCOMM SNAPDRAGON 845	
	Size	65/85 inch	
	Backlight type	D-LED	
Display	Resolution	3840 x 2160	
	Ratio	16:9	
	Anti-Fingerprint	\checkmark	
	Anti-Glare	\checkmark	
	Resolution	3840*2160	
	Lens	8MP	
Built-in Camera	Field of view	120° diagonal field of view	
	Zoom	e-PTZ	
		4 x digital zoom	
	Privacy shutter	Automatic Hiding Shutter	
	Microphone	Built-in 16 MEMS beamforming microphones	
	Speaker	4 full range+2 tweeter stereo speakers	
Audio	RCA input/output	√	
	Acoustic echo cancellation	V	
	Reverberation suppression	$\sqrt{}$	
	Beamforming technology	\checkmark	
	LED lightstrips	$\sqrt{}$	
Buttons	Home button	$\sqrt{}$	
	Input source button		
	Volume up/down button	$\sqrt{}$	
	HDMI	1×HDMI output	
		1×HDMI input	
	CEC	$\sqrt{}$	
	PTZ camera port	$\sqrt{}$	
	VCH	1 × Yealink VCH port (RJ-45)	
	USB	3 × USB Type A	
Connections	Ethernet port	1 x 10/100M/1000M Ethernet port	
	Wi-Fi	Wi-Fi6 2x2 MIMO dual-band	
	Bluetooth	Built-in Bluetooth 5.0	
	Security lock slot	$\sqrt{}$	
	Windows OPS slot	√ ·	
	Reset slot	· √	
	Motion sensor	√	

DeskVision A24

Desk Simplified, Collaboration Optimized

DeskVision A24 is a versatile desktop device suitable for shared or personal use in diverse settings like phone rooms, hot-desking areas, and personal desks.

- · All-in-one design
- · Intelligent noise cancelation
- · Pop-up 4k camera
- · UC workstation
- · Full-duplex audio
- · Support hot-desking & virtual receptionist





Hot-Desking

Teams Display for hot-desking and personal collaboration



Phone Room

Teams Rooms for phone room setups



Home Office


UC Workstation Mode for individual use

DeskVision A24 Specifications

Module



	Dimensions	23.8 inch		
	Resolution	1920 x 1080		
	Refresh Rate	60Hz		
	Color Depth	8 bit		
pplication Mode	Contrast Ratio	1000:1		
	Viewing angle	60Hz 8 bit 1000:1 Horizontal: 178° Pitch: 178° 10 points 83° Up to 1080p30 Video Call Automatically lifted or manually controlled lift Built-in microphone array y Built-in Stereo Speaker Built-in Android + Monitor Mode Android 10 1 1x USB-C 3.0 upstream, DP-IN, provide PD up to 45w 1x USB-C 3.0 downstream interfaces for connecting peripherals, Only supports the use of PCs connected to the USB-C upstream interface 2x USB-A 3.0 downstream interfaces for connecting peripherals, as extra USB ports for the PC connected 1x USB-A 2.0 downstream interface, used to connect to headphones DC 19V		
		Pitch: 178°		
	Multi-touch	10 points		
	Camera FOV	83°		
amera Specifications	Video Specifications	Up to 1080p30 Video Call		
oamera opeemeations	Privacy protection	Pitch: 178° 10 points 83° Up to 1080p30 Video Call Automatically lifted or manually controlled lift Built-in microphone array V Built-in Stereo Speaker Built-in Android + Monitor Mode Android 10 1 1x USB-C 3.0 upstream, DP-IN, provide PD up to 45w		
	Microphone Type	Built-in microphone array		
Audio Specifications	Intelligent noise cancellation technology	\checkmark		
•	Speaker	Built-in Stereo Speaker		
A collection Advantage	Dual Mode	Built-in Android + Monitor Mode		
Application Mode	Android System	Android 10		
	HDMI in	1		
		1x USB-C 3.0 upstream, DP-IN, provide PD up to 45w		
Application Mode	USB-C	1x USB-C 3.0 downstream interfaces for connecting peripherals,		
		Only supports the use of PCs connected to the USB-C upstream interface		
		2x USB-A 3.0 downstream interfaces for connecting peripherals,		
	USB-A	as extra USB ports for the PC connected		
No i a al i atra afa a a		1x USB-A 2.0 downstream interface, used to connect to headphones		
Physical interface	Power	DC 19V		
	Wireless Charging	Support wireless charging for mobile phone		
	Button	Power, Volume, Mute, Camera on/off, Switch mode, Teams button		



THE FIRST Teams Certified Phone

The first Microsoft Teams certified desk phone in the industry, delivering Microsoft Teams experience to all desktop devices seamlessly.

THE FIRST Android 12-based Teams Phone

The first Microsoft Teams Certified Phone series powered by Android 12. Enjoy faster response times and a seamless interactive experience with enhanced security.

THE FIRST

One-stop Solution Provider

The first provider of one-stop Microsoft Teams certified audio devices, covering scenarios of offices, open work space, huddle rooms and large conference rooms.

A Whole Series of Voice Device Solutions Covering Multiple Scenarios

Personal devices

Shared devices





















Desk phone

Speakerphone

Conference phone



- · Optimal HD audio, Yealink Noise **Proof Technology**
- · Full-duplex hands-free speakerphone with AEC



Native Microsoft Teams Experience

- · Embedded native Teams-tailored user interface
- · Consistent Teams calling and meeting experience



Simplified Deployment and Management

Deployment flexibility with multiple choices of deployment tools from Microsoft, Yealink and Unify square as well as auto-provision

Desk Phone



Yealink MP50 Microsoft Teams certified plug-and-play USB phone for daily desktop and hot-desking

Teams

Button



touch Screen



Audio













Yealink MP54 Cost-effective Microsoft Teams phone for common areas and workers of co-working spaces



Android

12.0 OS



touch Screen Audio





Teams

Button









Yealink MP56 Mid-level Microsoft Teams phone for office workers



12.0 OS



touch Screen



Audio





Built-in Wi-Fi & Bluetooth





Yealink MP58/MP58-WH Premium Microsoft Teams phone for executives and professionals



Android



touch Screen

HD

Audio



Button



Built-in Wi-Fi & Support Bluetooth Bluetooth Handset (MP58-WH)



Conference Phone



Yealink CP965 Best-in-class conference phone for Microsoft Teams



5-inch Multitouch Screen



Bluetooth



Built-in 12-Microphone



^{*}Some desk phone models are certified by Skype of Business, please contact our sales for details.

Features Model	MP58/MP58-WH	MP56	MP54	MP50	CP965
General features					
Operating System	Android 12	Android 12	Android 12	Linux	Android 12
Display	7"1024 x 600-pixel capacitive touch screen	7"800 x 480-pixel capacitive touch screen	4"480 x 800-pixel capacitive touch screen	7"1024 x 600-pixel capacitive touch screen	5" 720x1280 capacitive touch screen
Adjustable Screen	√	X	X	Х	X
Backlight	√	√	√	√	√
Feature keys	7 (hold, transfer, redial, headset, mute, Teams, speakerphone)	4(hold, transfer, redial, headset, mute, Teams, speakerphone)	4(Teams, headset, mute, speakerphone)	4(Teams, headset, mute, speakerphone)	3 (Home Mute Volume)
Volume control keys	√	√	√	√	√
Message Waiting Indicator (MWI)	√	√	√	√	X
Multiple languages	√	√	√	√	√
Dedicated Teams Button	√	√	√	√	X
Wall mount	√	√	√	√	X
Audio features					
HD voice	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	HD Handset, HD Speaker	Optimal HD audio Full duplex technology
AEC (Acoustic echo cancellation)	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC	Full-duplex hands-free speakerphone with AEC
VAD (Voice activity detection)	√	√	√	√	√
CNG (Comfort noise generator)	√	\checkmark	√	√	√
AJB (Adaptive jitter buffer)	\checkmark	√	√	√	√
PLC (Packet loss concealment)	√	√	√	√	√
AGC (Automatic gain control)/ NS (Noise Suppression)	\checkmark	√	√	√	√
Advanced features					
Built-in Bluetooth	4.2+ EDR	4.2+ EDR	x (Supported via Dongle BT41)	4.2+ EDR	4.2+ EDR
Built-in Wi-Fi	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)	x (Supported via Dongle WF50)	X	2.4G/5G Wi-Fi (802.11a/b/g/n/ac)
Teams/SIP Hybrid Mode	√	√	√	X	√
Expansion Module support	EXP50	EXP50	X	Х	X
Bluetooth Handset support	√(MP58-WH)	X	X	Х	X
Connectivity					
Ethernet Port	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	Dual-port Gigabit Ethernet	NA	1 x RJ45 10/100M Ethernet ports
Power over Ethernet (PoE)	(IEEE 802.3af) , class 3	(IEEE 802.3af), class 3	(IEEE 802.3af), class 3	NA	(IEEE 802.3af) , class 3
RJ9 handset port	√	\checkmark	√	\checkmark	X
RJ9 headset port	$\sqrt{}$	√	√	√	X
3.5 mm Jack	X	X	X	2.5 mm Jack for Busylight	X
USB A Port	2	1	1	3	2
Management					
Auto Provision by TFTP/FTP/HTTP/HTTPS/DHCP	\checkmark	\checkmark	√	NA	√
Yealink Redirection and Provisioning Service (RPS)	$\sqrt{}$	\checkmark	√	NA	\checkmark

Migration of Yealink Voice Devices from Skype for Business to Teams

 $\sqrt{\mbox{ Yealink Teams}}$ devices support the upgradability of firmware from Skype for Business to Teams.





A Whole Series of USB Peripherals Solutions Covering Multiple Scenarios

The Yealink one-stop portfolio makes it easier for customers to select the solutions they need and to collaborate with devices from a single vendor.

Voice Video





















USB Peripherals

Headset



UH34 & UH34 Lite Dual/Mono Essential USB Wired Headset






Native connectivity integration performance









UH35 Dual/Mono Premium USB Wired Headset









performance





UH37 Dual/Mono Professional USB Wired Headset



Dual Noise-Canceling Excellent audio Microphones



performance wearing comfort Busylight integration







UH38 Dual/Mono **USB Wired Headset Master**



Microphones

Visible







Call and Music





WH62 & 63 Portable **DECT Wireless Headset**













WH62 & WH63 Essential DECT Wireless Headset



Acoustic



Optima audio



Four wearing

Multiple device





WH66 & WH67 UCWORKSTOTION Premium DECT Wireless Headset



All connection





All control





BH71 Pro

Mono Bluetooth Wireless Headset for Hybrid Worker



4-mic Adjustable beamforming earhook for noise comfortable cancellation wearing



Up to 10-hour talk time of headset



case

wireless range

(((p))) Connection to Mobile/PC





BH71 Workstation UCWOrkstation

Mono Bluetooth Wireless Headset for Office Worker



4-mic beamforming cancellation



Adjustable earhook for comfortable wearing



talk time

workstation



Up to 10-hour All-in-one UC Up to 250ft Connection to wireless Mobile/ range PC/Desk Phone





BH71 Workstation Pro UCWOrkstation

Mono Bluetooth Wireless Headset for Executive Hybrid Worker



4-mic beamforming noise cancellation



Adjustable earhook for comfortable wearing



talke time by charging



workstation

((y))







BH70

Essential Bluetooth Wireless Headset



cancellation

technology 2.0



Acoustic shield Exceptional audio performance



All-day wearing Up to 35-hour comfort

35





BH76

Premium Bluetooth Wireless Headset

Hidden Microphone audio codec cancellation



Retractable

Boom Arm

Qualcomm aptX*HD AptX-HD



talk time



charging

Active noise UP to 35-hour Qi wireless Dual visible

busylight





Speakerphone



Medium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 4 people



Ease of connection







Good for huddle rooms





CP900

Premium Level Portable Speakerphone Ideal for on-the-go and meetings of up to 6 people



audio



connection











Camera



UVC20 Personal Desktop Webcam

Immediate brilliant video experience for personal desktop

Omni-direction Rotatable



-pixel



Light*















UVC30 Desktop

4K USB Camera with Auto-Framing and Windows Hello Support





Framing







Easy for setup & management





UVC34

All-in-One USB video bar for small and huddle rooms and work from home scenario













Wide-angle Electric Remote Device 8 Microphone Array & t Lens Lens Cap Management Built-in Speaker Al Face Auto Al Face Framing Enhancement





SmartVision 40

All-in-One USB video bar for intelligent video conferencing in small and medium rooms

Management Cameras



IntelliFrame









Range

2*48MP 6m Pick-up









UVC86

Dual-eye 4K Intelligent Tracking Camera for Medium and Large Rooms



20X PTZ



Framing



Speaker

Tracking





Tracking Scalability



System



Yealink



YEALINK NETWORK TECHNOLOGY CO., LTD.

Email: ucinfo@yealink.com | Web: www.yealink.com