

# VPAT for HCL AppScan Enterprise v10.x

VPAT comments: This VPAT covers HCL AppScan Enterprise v10.x

## VPAT Summary – WCAG Edition

Standard/Guideline	Included In Report
Web Content Accessibility Guideline 2.0, at <a href="https://www.w3.org/TR/WCAG20/">https://www.w3.org/TR/WCAG20/</a>	Level A Level AA
Web Content Accessibility Guideline 2.1 at <a href="https://www.w3.org/TR/WCAG21/">https://www.w3.org/TR/WCAG21/</a>	Level A
Revised Section 508 Standards as published by the U.S. Access Board in the Federal Register on January 18,2017	Level A
Corrections to the ICT Final Rule as Published by the U.S. Access Board in the Federal Register on January 22, 2018	Level AAA

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 b501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 b602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

**Table 1: Success Criteria, Level A**

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.1.1 Non-text Content</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1 (Web)</li> <li>• 10.2.1 (non-web document)</li> <li>• 11.2.1.1 (Software)</li> <li>• 11.2.2.1 (Closed Functionality Software)</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - No non-text content.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - All non-text content that is presented to the user has a text alternative that serves the equivalent purpose. <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p><b>Software:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:</li> </ul>

		<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise             <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - All non-text content that is presented to the user has a text alternative that serves the equivalent purpose.</li> </ul> </li> </ul>
<p><a href="#">11.2.1 Audio-only and Video-only (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2 (Web)</li> <li>• 10.2.2 (non-web document)</li> <li>• 11.2.1.2 (Software)</li> <li>• 11.2.2.2.1 and 11.2.2.2.2 (Closed Software)</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - No prerecorded audio-only and no video-only media.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - No prerecorded audio-only and no video-only media.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard,</li> </ul> </li> </ul> </li> </ul>

		<p>exported PDF, XLS, CVS, XML; Scan Log exported TXT</p> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - An alternative for prerecorded audio-only or video-only media is provided. This is not a requirement when the audio or video is a media alternative for text and is clearly labeled as such.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">1.2.2 Captions (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.3 (Web)</li> <li>• 10.2.3 (non-web document)</li> <li>• 11.2.1.3 (Software)</li> <li>• 11.2.2.3 (Closed Software) - Does not apply</li> </ul>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Not Applicable</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - No prerecorded audio.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:</li> </ul>

<ul style="list-style-type: none"> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - No prerecorded audio.             <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No prerecorded audio.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4 (Web)</li> <li>• 10.2.4 (non-web document)</li> <li>• 11.2.1.4 (Software)</li> <li>• 11.2.2.4 (Closed Software)</li> </ul>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Not Applicable</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - No prerecorded audio and no prerecorded video media.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p>

<ul style="list-style-type: none"> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - No prerecorded audio and no prerecorded video media.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No prerecorded audio and no prerecorded video media.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">1.3.1 Info and Relationships</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.7 (Web)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Information,</li> </ul> </li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>• 10.2.7 (non-web document)</li> <li>• 11.2.1.7 (Software)</li> <li>• 11.2.2.7 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration</li> </ul> </li> </ul> </li> </ul>
--	--	---

		<p>Wizard, and Interaction Tool - Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p>
<p><a href="#">1.3.2 Meaningful Sequence</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.8 (Web)</li> <li>• 10.2.8 (non-web document)</li> <li>• 11.2.1.8 (Software)</li> <li>• 11.2.2.8 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp;</li> </ul> </li> </ul> </li> </ul>



		<p>DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</p> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">1.3.3 Sensory Characteristics</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.9 (Web)</li> <li>• 10.2.9 (non-web document)</li> <li>• 11.2.1.9 (Software)</li> <li>• 11.2.2.9 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size,</li> </ul> </li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>visual location, orientation, or sound.</p> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Instructions</li> </ul> </li> </ul> </li> </ul>
--	--	---

		<p>provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.</p>
<p><a href="#">1.4.1 Use of Color</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.10 (Web)</li> <li>• 10.2.10 (non-web document)</li> <li>• 11.2.1.10 (Software)</li> <li>• 11.2.2.10 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output:</li> </ul> </li> </ul> </li> </ul>

		<p>Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</p> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">1.4.2 Audio Control</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.11 (Web)</li> <li>• 10.2.11 (non-web document)</li> <li>• 11.2.1.11 (Software)</li> <li>• 11.2.2.11 (Closed Software) - Does not apply</li> </ul>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - No audio.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:</li> </ul>

<ul style="list-style-type: none"> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - No audio.             <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - When any audio plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.</li> </ul> </li> </ul> </li> </ul>
---	--	---

<p><a href="#">2.1.1 Keyboard</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.15 (Web)</li> <li>• 10.2.15 (non-web document)</li> <li>• 11.2.1.15 (Software)</li> <li>• 11.2.2.15 (Closed Software)</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes. This is not a requirement where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes. This is not a requirement where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> </ul> </li> </ul> </li> </ul>
---	--	---

		<ul style="list-style-type: none"> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes. This is not a requirement where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">2.1.2 No Keyboard Trap (Level A)</a></p>	<p><b>Web:</b> Supports</p>	<p><b>Web:</b></p>

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.16 (Web)</li> <li>• 10.2.16 (non-web document)</li> <li>• 11.2.1.16 (Software)</li> <li>• 11.2.2.16 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - When focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the method for moving focus away.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - When focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the method for moving focus away.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise</li> </ul> </li> </ul> </li> </ul>
--	--	---



		<p>Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</p> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - When focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the method for moving focus away.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">2.2.1 Timing Adjustable</a> (Level A)</p>	<p><b>Web:</b> Not Applicable</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:</li> </ul>

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.17 (Web)</li> <li>• 10.2.17 (non-web document)</li> <li>• 11.2.1.17 (Software)</li> <li>• 11.2.2.17 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Not Applicable</p>	<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise             <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - No time limits.</li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - No time limits.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No time limits.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">2.2.2 Pause, Stop, Hide (Level A)</a></p> <p>Also applies to:</p>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise</li> </ul> </li> </ul>

<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.18 (Web)</li> <li>• 10.2.18 (non-web document)</li> <li>• 11.2.1.18 (Software)</li> <li>• 11.2.2.18 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li>▪ AppScan Enterprise - No moving, blinking, scrolling, or auto-updating information.</li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - No moving, blinking, scrolling, or auto-updating information.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The user is allowed to pause, stop, or hide moving, blinking,</li> </ul> </li> </ul> </li> </ul>
--	--	--

		<p>scrolling, or auto-updating information, unless it is an essential part of an activity.</p>
<p><a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.19 (Web)</li> <li>• 10.2.19 (non-web document)</li> <li>• 11.2.1.19 (Software)</li> <li>• 11.2.2.19 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - User interface does not contain anything that flashes more than three times in any one second period.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - User interface does not contain anything that flashes more than three times in any one second period.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p><b>Software:</b></p>

		<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - User interface does not contain anything that flashes more than three times in any one second period.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">2.4.1 Bypass Blocks</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.20 (Web)</li> <li>• 10.2.20 (non-web document) - Does not apply</li> <li>• 11.2.1.20 (Software) - Does not apply</li> <li>• 11.2.2.20 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) - Does not apply to non-web software</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Does not apply to non-web documentation.</p> <p><b>Software:</b> Does not apply to non-web software.</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>

<ul style="list-style-type: none"> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) - Does not apply to non-web docs</li> </ul>		
<p><a href="#">2.4.2 Page Titled</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.21 (Web)</li> <li>• 10.2.21 (non-web document)</li> <li>• 11.2.1.21 (Software) - Does not apply</li> <li>• 11.2.2.21 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Titles are provided that describe topic or purpose.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Titles are provided that describe topic or purpose.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p><b>Software:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan</li> </ul> </li> </ul> </li> </ul>

		<p>Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Titles are provided that describe topic or purpose.</p>
<p><a href="#">2.4.3 Focus Order</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.22 (Web)</li> <li>• 10.2.22 (non-web document)</li> <li>• 11.2.1.22 (Software)</li> <li>• 11.2.2.22 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - For content that can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - For content that can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</li> </ul> </li> </ul>

		<ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - For content that can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">2.4.4 Link Purpose (In Context)</a> (Level A)</p>	<p><b>Web:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:</li> </ul>



<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.23 (Web)</li> <li>• 10.2.23 (non-web document)</li> <li>• 11.2.1.23 (Software)</li> <li>• 11.2.2.23 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise             <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be ambiguous to users in general.</li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be ambiguous to users in general.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML;</li> </ul> </li> </ul> </li> </ul>
--	--	--

		<p>Scan Log exported TXT</p> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be ambiguous to users in general.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">3.1.1 Language of Page</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.27 (Web)</li> <li>• 10.2.27 (non-web document)</li> <li>• 11.2.1.27 (Software)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - The default human language can be programmatically determined.</li> </ul> </li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>• 11.2.2.27 (Closed Software)</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise - The default human language can be programmatically determined.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The default human language can be programmatically determined.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">3.2.1 On Focus</a> (Level A)</p> <p>Also applies to:</p>	<p><b>Web:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:</li> </ul>

<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.29 (Web)</li> <li>• 10.2.29 (non-web document)</li> <li>• 11.2.1.29 (Software)</li> <li>• 11.2.2.29 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise             <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - When any component receives focus, it does not initiate a change of context.</li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - When any component receives focus, it does not initiate a change of context.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - When any component</li> </ul> </li> </ul> </li> </ul>
--	--	--

		<p>receives focus, it does not initiate a change of context.</p>
<p><a href="#">3.2.2 On Input</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.30 (Web)</li> <li>• 10.2.30 (non-web document)</li> <li>• 11.2.1.30 (Software)</li> <li>• 11.2.2.30 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component. <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF,</li> </ul> </li> </ul> </li> </ul>

		<p>XLS, CVS, XML; Scan Log exported TXT</p> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">3.3.1 Error Identification</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.33 (Web)</li> <li>• 10.2.33 (non-web document)</li> <li>• 11.2.1.33 (Software)</li> <li>• 11.2.2.33 (Closed Software)</li> <li>• 11.6.2 (Authoring Tool)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - When an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</li> </ul> </li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise - No input allowed.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - When an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">3.3.2 Labels or Instructions</a> (Level A)</p>	<p><b>Web:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:</li> </ul>

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.34 (Web)</li> <li>• 10.2.34 (non-web document)</li> <li>• 11.2.1.34 (Software)</li> <li>• 11.2.2.34 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise             <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Labels or instructions are provided when content requires user input.</li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Labels or instructions are provided when content requires user input.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Labels or</li> </ul> </li> </ul> </li> </ul>
--	--	---



		instructions are provided when content requires user input.
<p><a href="#">4.1.1 Parsing</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.37 (Web)</li> <li>• 10.2.37 (non-web document)</li> <li>• 11.2.1.37 (Software)</li> <li>• 11.2.2.37 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where specifications allow these features.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where</li> </ul> </li> </ul>

		<p>specifications allow these features.</p> <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where specifications</li> </ul> </li> </ul> </li> </ul>
--	--	--

		allow these features.
<p><a href="#">4.1.2 Name, Role, Value</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.38 (Web)</li> <li>• 10.2.38 (non-web document)</li> <li>• 11.2.1.38 (Software)</li> <li>• 11.2.2.38 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically</li> </ul> </li> </ul>

		<p>determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p> <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name</li> </ul> </li> </ul> </li> </ul>
--	--	--

		<p>and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p>
--	--	---

**Table 2: Success Criteria, Level AA**

Criteria	Supporting Features	Remarks and Explanations
<p><a href="#">1.2.4 Captions (Live)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5 (Web)</li> <li>• 10.2.5 (non-web document)</li> <li>• 11.2.1.5 (Software)</li> <li>• 11.2.2.5 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> </ul>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Not Applicable</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - No live audio content in synchronized media.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - No live audio content in synchronized media. <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp;</li> </ul> </li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul>		<p>DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</p> <p>Software:</p> <ul style="list-style-type: none"> <li>The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No live audio content in synchronized media.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">1.2.5 Audio Description (Prerecorded)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.6 (Web)</li> <li>10.2.6 (non-web document)</li> <li>11.2.1.6 (Software)</li> <li>11.2.2.6 (Closed Software) - Does not apply</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Not Applicable</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>AppScan Enterprise - No prerecorded video.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>HCL AppScan Enterprise - No prerecorded video.                 <ul style="list-style-type: none"> <li>AppScan Enterprise Help Center</li> <li>AppScan - Enterprise Product Output: Reports &amp;</li> </ul> </li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</p> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No prerecorded video.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">1.4.3 Contrast (Minimum)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.12 (Web)</li> <li>• 10.2.12 (non-web document)</li> <li>• 11.2.1.12 (Software)</li> <li>• 11.2.2.12 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - The visual presentation of text and images of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:</li> </ul>

<ul style="list-style-type: none"> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - The visual presentation of text and images of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1.             <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The visual presentation of text and images of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1.</li> </ul> </li> </ul> </li> </ul>
--	--	---



<p><a href="#">1.4.4 Resize text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.13 (Web)</li> <li>• 10.2.13 (non-web document)</li> <li>• 11.2.1.13 (Software)</li> <li>• 11.2.2.13 (Closed Software)</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Text (but not images of text) can be resized without assistive technology up to 200 percent without loss of content or functionality.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Text (but not images of text) can be resized without assistive technology up to 200 percent without loss of content or functionality. <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p><b>Software:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan</li> </ul> </li> </ul> </li> </ul>
---	--	--

		<p>Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Text (but not images of text) can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>
<p><a href="#">1.4.5 Images of Text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.14 (Web)</li> <li>• 10.2.14 (non-web document)</li> <li>• 11.2.1.14 (Software)</li> <li>• 11.2.2.14 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Text is used to convey information rather than images. When an image of text is used, it is essential to the information being conveyed and the image can be visually customized to the user's requirements.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Text is used to convey information rather than images. When an image of text is used, it is</li> </ul> </li> </ul>

		<p>essential to the information being conveyed and the image can be visually customized to the user's requirements.</p> <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; Dashboard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Text is used to convey information rather than images. When an image of text is used, it is essential to the information being conveyed and the image can be visually customized to the user's requirements.</li> </ul> </li> </ul> </li> </ul>
--	--	--

<p><a href="#">2.4.5 Multiple Ways</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.24 (Web)</li> <li>• 10.2.24 (non-web document) - Does not apply</li> <li>• 11.2.1.24 (Software) - Does not apply</li> <li>• 11.2.2.24 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) - Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) - Does not apply to non-web docs</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Does not apply to non-web documentation.</p> <p><b>Software:</b> Does not apply to non-web software.</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - More than one way is available to locate a Web page within a set of Web pages. This is not a requirement where the content is the result of, or a step in, a process.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b> Does not apply to non-web documentation.</p> <p><b>Software:</b> Does not apply to non-web software.</p>
<p><a href="#">2.4.6 Headings and Labels</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.25 (Web)</li> <li>• 10.2.25 (non-web document)</li> <li>• 11.2.1.25 (Software)</li> <li>• 11.2.2.25 (Closed Software) - Does not apply</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Headings and labels describe topic or purpose.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:</li> </ul>

<ul style="list-style-type: none"> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Headings and labels describe topic or purpose.             <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; Dashboard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Headings and labels describe topic or purpose.</li> </ul> </li> </ul> </li> </ul>
<p><a href="#">2.4.7 Focus Visible</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.26 (Web)</li> <li>• 10.2.26 (non-web document)</li> <li>• 11.2.1.26 (Software)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Any keyboard operable user interface has a mode of operation where</li> </ul> </li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>• 11.2.2.26 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>the keyboard focus indicator is visible.</p> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Any keyboard operable user interface has a mode of operation where the</li> </ul> </li> </ul> </li> </ul>
---	--	---

		<p>keyboard focus indicator is visible.</p>
<p><a href="#">3.1.2 Language of Parts</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.28 (Web)</li> <li>• 10.2.28 (non-web document)</li> <li>• 11.2.1.28 (Software) - Does not apply</li> <li>• 11.2.2.28 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Supports</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - The human language of each passage or phrase in the content can be programmatically determined. This requirement does not apply to proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. It is assumed that users will interact with this product as a single language document therefore the default human language of the page, which can be programmatically determined, satisfies this requirement.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - The human language of</li> </ul> </li> </ul>

		<p>each passage or phrase in the content can be programmatically determined. This requirement does not apply to proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. It is assumed that users will interact with this product as a single language document therefore the default human language of the page, which can be programmatically determined, satisfies this requirement.</p> <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration</li> </ul> </li> </ul> </li> </ul>
--	--	---



		<p>Wizard, and Interaction Tool - The human language of each passage or phrase in the content can be programmatically determined. This requirement does not apply to proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. It is assumed that users will interact with this product as a single language document therefore the default human language of the page, which can be programmatically determined, satisfies this requirement.</p>
<p><a href="#">3.2.3 Consistent Navigation</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.31 (Web)</li> <li>• 10.2.31 (non-web document) - Does not apply</li> <li>• 11.2.1.31 (Software) - Does not apply</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Does not apply to non-web documentation.</p> <p><b>Software:</b> Does not apply to non-web software.</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages</li> </ul> </li> </ul> </li> </ul>

<ul style="list-style-type: none"> <li>• 11.2.2.31 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) - Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) - Does not apply to non-web docs</li> </ul>		<p>occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p> <p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>
<p><a href="#">3.2.4 Consistent Identification</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.32 (Web)</li> <li>• 10.2.32 (non-web document) - Does not apply</li> <li>• 11.2.1.32 (Software) - Does not apply</li> <li>• 11.2.2.32 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) - Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Does not apply to non-web documentation.</p> <p><b>Software:</b> Does not apply to non-web software.</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Components that have the same functionality within a set of Web pages are identified consistently.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>

<ul style="list-style-type: none"> <li>602.3 (Support Docs)             <ul style="list-style-type: none"> <li>- Does not apply to non-web docs</li> </ul> </li> </ul>		
<p><a href="#">3.3.3 Error Suggestion</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.35 (Web)</li> <li>10.2.35 (non-web document)</li> <li>11.2.1.35 (Software)</li> <li>11.2.2.35 (Closed Software) - Does not apply</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p><b>Web:</b> Supports</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Supports</p>	<p><b>Web:</b></p> <ul style="list-style-type: none"> <li>The following components meet this criterion:             <ul style="list-style-type: none"> <li>HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>AppScan Enterprise - When an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</li> </ul> </li> </ul> </li> </ul> <p><b>Electronic Docs:</b></p> <ul style="list-style-type: none"> <li>The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>HCL AppScan Enterprise - No input allowed.                 <ul style="list-style-type: none"> <li>AppScan Enterprise Help Center</li> <li>AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p><b>Software:</b></p> <ul style="list-style-type: none"> <li>The following components meet this criterion:</li> </ul>

		<ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise             <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - When an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</li> </ul> </li> </ul>
<p><a href="#">3.3.4 Error Prevention (Legal, Financial, Data)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.36 (Web)</li> <li>• 10.2.36 (non-web document)</li> <li>• 11.2.1.36 (Software)</li> <li>• 11.2.2.36 (Closed Software) - Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul>	<p><b>Web:</b> Not Applicable</p> <p><b>Electronic Docs:</b> Not Applicable</p> <p><b>Software:</b> Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise - Content is not used for legal commitments or financial transactions, to modify user-controlled data in a storage system, or to submit test responses.</li> </ul> </li> </ul> </li> </ul> <p>Electronic Docs:</p>

<p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - Content is not used for legal commitments or financial transactions, to modify user-controlled data in a storage system, or to submit test responses.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Software:</p> <ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Content is not used for legal commitments or financial transactions, or to submit user test responses. Content that modifies or deletes user-controllable data in</li> </ul> </li> </ul> </li> </ul>
---	--	---

		a data storage system allows the user to reverse the submission.
--	--	--

**Table 3: Success Criteria, Level AAA**

Notes: Not Evaluated

**2017 Section 508 Report**

[Click to show or hide 2017 Section 508 tables \(section headings will remain\)](#)

**Chapter 3: Functional Performance Criteria (FPC)**

Notes: Not applicable. Functional performance criteria not used to evaluate this product.

**Chapter 4: Hardware**

Notes: Not applicable. This product does not provide hardware or is exempted from meeting the Revised Section 508 hardware standard [E202.5](#).

**Chapter 5 Software**

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope - Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
502 Interoperability with Assistive Technology	Heading cell - no response required	Heading cell - no response required
502.2.1 User Control of Accessibility Features	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:                             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                                     <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The application provides user control over platform features</li> </ul> </li> </ul> </li> </ul>

		<p>that are defined in the platform documentation as accessibility features.</p>
<p>502.2.2 No Disruption of Accessibility Features</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Component does not disrupt platform features that are defined in the platform documentation as accessibility features.</li> </ul> </li> </ul> </li> </ul>
<p>502.3 Accessibility Services</p>	<p>Heading cell - no response required</p>	<p>Heading cell - no response required</p>
<p>502.3.1 Object Information</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Semantic information is provided about</li> </ul> </li> </ul> </li> </ul>

		user interface objects.
502.3.2 Modification of Object Information	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - States and properties that can be set by the user can be set programmatically, including through assistive technology.</li> </ul> </li> </ul> </li> </ul>
502.3.3 Row, Column, and Headers	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No data tables.</li> </ul> </li> </ul> </li> </ul>
502.3.4 Values	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore</li> </ul> </li> </ul> </li> </ul>



		<p>Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The current value and any minimum or maximum values, if the component represents one of a range of values, are programmatically determinable.</p>
502.3.5 Modification of Values	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Values that can be set by the user can be set programmatically, including through assistive technology.</li> </ul> </li> </ul> </li> </ul>
502.3.6 Label Relationships	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer</li> </ul> </li> </ul> </li> </ul>

		<p>Tool, Server Configuration Wizard, and Interaction Tool - The relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.</p>
<p>502.3.7 Hierarchical Relationships</p>	<p>Not Applicable</p>	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion: <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No hierarchical relationships.</li> </ul> </li> </ul> </li> </ul>
<p>502.3.8 Text</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>◦ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Text contents, text attributes, and the boundary of text</li> </ul> </li> </ul> </li> </ul>

		<p>rendered to the screen are programmatically determinable.</p>
<p>502.3.9 Modification of Text</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Text that can be set by the user can be set programmatically, including through assistive technology.</li> </ul> </li> </ul> </li> </ul>
<p>502.3.10 List of Actions</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - A list of actions that can be executed on an object is programmatically determinable. Assistive technology can</li> </ul> </li> </ul> </li> </ul>

		<p>programmatically execute available actions on objects.</p>
<p>502.3.11 Actions on Objects</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The application allows assistive technology to programmatically execute available actions on objects.</li> </ul> </li> </ul> </li> </ul>
<p>502.3.12 Focus Cursor</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Exposes information and mechanisms necessary to track and modify focus, text insertion point, and selection</li> </ul> </li> </ul> </li> </ul>

		attributes of user interface components.
502.3.13 Modification of Focus Cursor	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Focus, text insertion point, and selection attributes that can be set by the user can be set programmatically, including through the use of assistive technology.</li> </ul> </li> </ul> </li> </ul>
502.3.14 Event Notification	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Notification of events relevant to user interactions, including, but not limited to,</li> </ul> </li> </ul> </li> </ul>

		changes in the component's state(s), value, name, description, or boundary, is available to assistive technologies.
502.4 Platform Accessibility Features	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The platform and platform software conforms to the requirements in ANSI/ HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (2008) listed: Sections 9.3.3, 9.3.4, 9.3.5, 10.6.7, 10.6.8, 10.6.9, and 10.7.1.</li> </ul> </li> </ul> </li> </ul>
503 Applications	Heading cell - no response required	Heading cell - no response required
503.2 User Preferences	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan</li> </ul> </li> </ul> </li> </ul>

		<p>Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Component provides a mode of operation that allows user preferences for platform settings for color, contrast, font type, font size, and focus cursor.</p>
<p>503.3 Alternative User Interfaces</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The application provides an alternative user interface that functions as assistive technology and uses platform and other industry standard accessibility services.</li> </ul> </li> </ul> </li> </ul>
<p>503.4 User Controls for Captions and Audio Description.</p>	<p>Heading cell - no response required</p>	<p>Heading cell - no response required</p>

503.4.1 Caption Controls	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The application does not provide user controls for volume adjustment.</li> </ul> </li> </ul> </li> </ul>
503.4.2 Audio Description Controls	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The application does not provide user controls for program selection.</li> </ul> </li> </ul> </li> </ul>
504 Authoring Tools	Heading cell - no response required	Heading cell - no response required
504.x	Not Applicable	This product has no content authoring capabilities.

**Chapter 6: Support Documentation and Services**

Criteria	Conformance Level	Remarks and Explanations
----------	-------------------	--------------------------



601.1 Scope	Heading cell - no response required	Heading cell - no response required
602 Support Documentation	Heading cell - no response required	Heading cell - no response required
602.2 Accessibility and Compatibility Features	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:               <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                   <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center - Documentation lists and explains accessibility and compatibility features, including keyboard access. Instructions for using any features of the authoring tool that directly support authors in increasing the accessibility of the content being edited appear in the product documentation under the Accessibility topic.</li> </ul> </li> </ul> </li> <li>• The following components do not apply to this criterion:               <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                   <ul style="list-style-type: none"> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT - Non-applicable for the exports performed.</li> </ul> </li> </ul> </li> </ul>
602.3 Electronic Support Documentation	See <a href="#">WCAG 2.0</a> section	See information in WCAG section

602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	All documentation that supports the use of the HCL product is provided in electronic format.
603 Support Services	Heading cell - no response required	Heading cell - no response required
603.2 Information on Accessibility and Compatibility Features	Not Applicable	Information on accessibility and compatibility features of the HCL product is included in the conformance statement required by 602.2.
603.3 Accommodation of Communication Needs	Supports	The support services of the HCL product provided directly to users by HCL (e.g. telecommunications relay services for use by deaf or hard of hearing users to access sales and support services) accommodates the communication needs of individuals with disabilities.

## EN 301 549 Report

### Chapter 4: 4.2 Functional Performance Statements (FPS)

Notes: Not applicable. Functional performance criteria not used to evaluate this product.

### Chapter 5: Generic Requirements

Notes: Not applicable. This product does not provide closed hardware.

### Chapter 6: ICT with Two-Way Voice Communication

Notes: Not applicable. This product does not provide two-way communication.

### Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell - no response required	Heading cell - no response required
7.1.1 Captioning playback	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:                             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                                     <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration</li> </ul> </li> </ul> </li> </ul>

		<p>Wizard, and Interaction Tool - The software does not provide video player capabilities.</p>
7.1.2 Captioning synchronization	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The software does not provide video player capabilities.</li> </ul> </li> </ul> </li> </ul>
7.1.3 Preservation of captioning	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The software does not transmit, convert or record video.</li> </ul> </li> </ul> </li> </ul>
7.2.1 Audio description playback	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise,</li> </ul> </li> </ul> </li> </ul>

		<p>ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The software does not provide video player capabilities.</p>
<p>7.2.2 Audio description synchronization</p>	<p>Not Applicable</p>	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The software does not provide video player capabilities.</li> </ul> </li> </ul> </li> </ul>
<p>7.2.3 Preservation of audio description</p>	<p>Not Applicable</p>	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The software does not transmit, convert, or record video.</li> </ul> </li> </ul> </li> </ul>

7.3 User controls for captions and audio description	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The software does not provide video player capabilities.</li> </ul> </li> </ul> </li> </ul>
--	----------------	---

**Chapter 8: Hardware**

Notes: Not applicable. This product does not provide hardware.

**Chapter 9: Web (See WCAG 2.0 Section)**

Notes: Not applicable. Product does not provide web or non-web software or documentation.

**Chapter 10: Non-Web Documents**

Criteria	Conformance Level	Remarks and Explanations
10.1 General	Heading cell - no response required	Heading cell - no response required
10.2 Document success criteria	Heading cell - no response required	Heading cell - no response required
10.2.1 through 10.2.38	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
10.2.39 Caption positioning	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - The non-web documentation does not contain synchronized media (i.e., videos) with captions.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> </ul> </li> </ul> </li> </ul>

		<ul style="list-style-type: none"> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> <p>Also see the accessibility conformance information provided in applicable success criteria in the WCAG 2.0 Report above, (e.g. <a href="#">1.2.2 Captions</a>).</p>
<p>10.2.40 Audio description timing</p>	<p>Not Applicable</p>	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise - The non-web documentation does not contain synchronized media (i.e., videos) with audio description.                 <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center</li> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT</li> </ul> </li> </ul> </li> </ul> <p>Also see the accessibility conformance information provided in applicable success criteria in the WCAG 2.0 Report above, (e.g. <a href="#">1.2.5 Audio Descriptions</a>).</p>

**Chapter 11: Software**

Criteria	Conformance Level	Remarks and Explanations
<p>11.2.1 Software success criteria (excluding closed functionality)</p>	<p>See <a href="#">WCAG 2.0</a> section</p>	<p>See information in WCAG section</p>

11.2.2 Software success criteria (closed functionality)	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
11.3 Interoperability with assistive technology	Heading cell - no response required	Heading cell - no response required
11.3.1 Closed functionality (informative)	Heading cell - no response required	Heading cell - no response required
11.3.2 Accessibility services	Heading cell - no response required	Heading cell - no response required
11.3.2.1 Platform accessibility service support for software that provides a user interface	See 11.3.2.5 through 11.3.2.17	See information in 11.3.2.5 through 11.3.2.17
11.3.2.2 Platform accessibility service support for assistive technologies	See 11.3.2.5 through 11.3.2.17	See information in 11.3.2.5 through 11.3.2.17
11.3.2.3 Use of accessibility services	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The software uses the applicable documented platform accessibility services for user interface elements. If the documented platform accessibility services do not allow the software to meet the applicable requirements of clauses 11.3.2.5 to 11.3.2.17, the software uses other</li> </ul> </li> </ul> </li> </ul>

		<p>documented services to interoperate with assistive technology.</p>
<p>11.3.2.4 Assistive technology</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The application provides an alternative user interface that functions as assistive technology and uses platform and other industry standard accessibility services.</li> </ul> </li> </ul> </li> </ul>
<p>11.3.2.5 Object information</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Semantic information is</li> </ul> </li> </ul> </li> </ul>



		provided about user interface objects.
11.3.2.6 Row, column, and headers	Not Applicable	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No data tables.</li> </ul> </li> </ul> </li> </ul>
11.3.2.7 Values	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The current value and any minimum or maximum values, if the component represents one of a range of values, are programmatically determinable.</li> </ul> </li> </ul> </li> </ul>
11.3.2.8 Label relationships	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise</li> </ul> </li> </ul>

		<ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - The relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.</li> </ul>
<p>11.3.2.9 Parent-child relationships</p>	<p>Not Applicable</p>	<ul style="list-style-type: none"> <li>• The following components do not apply to this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - No hierarchical relationships.</li> </ul> </li> </ul> </li> </ul>
<p>11.3.2.10 Text</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server</li> </ul> </li> </ul> </li> </ul>

		<p>Configuration Wizard, and Interaction Tool - Text contents, text attributes, and the boundary of text rendered to the screen are programmatically determinable.</p>
<p>11.3.2.11 List of available actions</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - A list of actions that can be executed on an object is programmatically determinable. Assistive technology can programmatically execute available actions on objects.</li> </ul> </li> </ul> </li> </ul>
<p>11.3.2.12 Execution of available actions</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and</li> </ul> </li> </ul> </li> </ul>

		<p>Interaction Tool - The application allows assistive technology to programmatically execute available actions on objects.</p>
<p>11.3.2.13 Tracking of focus and selection attributes</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Exposes information and mechanisms necessary to track and modify focus, text insertion point, and selection attributes of user interface components.</li> </ul> </li> </ul> </li> </ul>
<p>11.3.2.14 Modification of focus and selection attributes</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Focus, text insertion point, and</li> </ul> </li> </ul> </li> </ul>

		<p>selection attributes that can be set by the user can be set programmatically, including through the use of assistive technology.</p>
<p>11.3.2.15 Change notification</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Notification of events relevant to user interactions, including, but not limited to, changes in the component's state(s), value, name, description, or boundary, is available to assistive technologies.</li> </ul> </li> </ul> </li> </ul>
<p>11.3.2.16 Modifications of states and properties</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool -</li> </ul> </li> </ul> </li> </ul>

		<p>States and properties that can be set by the user can be set programmatically, including through assistive technology.</p>
<p>11.3.2.17 Modifications of values and text</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Values that can be set by the user can be set programmatically, including through assistive technology.   Text that can be set by the user can be set programmatically, including through assistive technology.</li> </ul> </li> </ul> </li> </ul>
<p>11.4 Documented accessibility usage</p>	<p>Heading cell - no response required</p>	<p>Heading cell - no response required</p>
<p>11.4.1 User control of accessibility features</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer</li> </ul> </li> </ul> </li> </ul>

		<p>Tool, Server Configuration Wizard, and Interaction Tool - The application provides user control over platform features that are defined in the platform documentation as accessibility features.</p>
<p>11.4.2 No disruption of accessibility features</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration Wizard, and Interaction Tool - Component does not disrupt platform features that are defined in the platform documentation as accessibility features.</li> </ul> </li> </ul> </li> </ul>
<p>11.5 User preferences</p>	<p>Supports</p>	<ul style="list-style-type: none"> <li>• The following components meet this criterion:             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                 <ul style="list-style-type: none"> <li>▪ Installation Wizard for AppScan Enterprise, ManualExplore Installer, AppScan Manual Explorer Tool, Server Configuration</li> </ul> </li> </ul> </li> </ul>

		Wizard, and Interaction Tool - Component provides a mode of operation that allows user preferences for platform settings for color, contrast, font type, font size, and focus cursor.
11.6 Authoring tools	Heading cell - no response required	Heading cell - no response required
11.6.x	Not Applicable	This product has no content authoring capabilities.

**Chapter 12: Documentation and Support Services**

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell - no response required	Heading cell - no response required
12.1.1 Accessibility and compatibility features	Supports	<ul style="list-style-type: none"> <li>• The following components meet this criterion:                             <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise                                     <ul style="list-style-type: none"> <li>▪ AppScan Enterprise Help Center - Documentation lists and explains accessibility and compatibility features, including keyboard access. Instructions for using any features of the authoring tool that directly support authors in increasing the accessibility of the content being edited appear in the product documentation</li> </ul> </li> </ul> </li> </ul>



		<p>under the Accessibility topic.</p> <ul style="list-style-type: none"> <li>• The following components do not apply to this criterion: <ul style="list-style-type: none"> <li>○ HCL AppScan Enterprise <ul style="list-style-type: none"> <li>▪ AppScan - Enterprise Product Output: Reports &amp; DashBoard, exported PDF, XLS, CVS, XML; Scan Log exported TXT - Non-applicable for the exports performed.</li> </ul> </li> </ul> </li> </ul>
12.1.2 Accessible documentation	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
12.2 Support Services	Heading cell - no response required	Heading cell - no response required
12.2.2 Information on accessibility and compatibility features	Not Applicable	Information on accessibility and compatibility features of the HCL product is included in the conformance statement required by 12.1.1.
12.2.3 Effective communication	Supports	The support services of the HCL product provided directly to users by HCL (e.g. telecommunications relay services for use by deaf or hard of hearing users to access sales and support services) accommodates the communication needs of individuals with disabilities.
12.2.4 Accessible documentation	See <a href="#">WCAG 2.0</a> section	See information in WCAG section

**Chapter 13: ICT Providing Relay or Emergency Service Access**

Notes: Not applicable. This product does not provide relay or emergency service features.

Disclaimer: HCL provides this data for general information on an AS IS basis. Any third-party components or technologies not developed by or licensed by HCL that may be packaged with or engaged by the use of this product are not included in this Section 508 assessment.