

VPAT for HCL AppScan Standard v10.x

VPAT comments: This VPAT covers HCL AppScan Standard 10.x

VPAT Summary – WCAG Edition

Standard/Guideline	Included In Report
Web Content Accessibility Guideline 2.0, at https://www.w3.org/TR/WCAG20/	Level A Level AA
Web Content Accessibility Guideline 2.1 at https://www.w3.org/TR/WCAG21/	Level A
Revised Section 508 Standards as published by the U.S. Access Board in the Federal Register on January 18,2017	Level A
Corrections to the ICT Final Rule as Published by the U.S. Access Board in the Federal Register on January 22, 2018	Level AAA

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 b501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 b602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1 (Web) • 10.2.1 (non-web document) • 11.2.1.1 (Software) • 11.2.2.1 (Closed Functionality Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - All non-text content that is presented to the user has a text alternative that serves the equivalent purpose. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - All non-text content that is presented to the user has a text alternative that serves the equivalent purpose.
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p>	<p>Electronic Docs: Not Applicable</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion:

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2 (Web) • 10.2.2 (non-web document) • 11.2.1.2 (Software) • 11.2.2.2.1 and 11.2.2.2.2 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Software: Supports</p>	<ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No prerecorded audio. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Captions are provided for prerecorded audio content in synchronized media. This is not a requirement when the media is a media alternative for text and is clearly labeled as such.
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3 (Web) • 10.2.3 (non-web document) • 11.2.1.3 (Software) • 11.2.2.3 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No prerecorded audio. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Captions are

<p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>provided for prerecorded audio content in synchronized media. This is not a requirement when the media is a media alternative for text and is clearly labeled as such.</p>
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4 (Web) • 10.2.4 (non-web document) • 11.2.1.4 (Software) • 11.2.2.4 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No prerecorded audio and no prerecorded video media. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media. This is not a requirement when the media is a media alternative for text

		and is clearly labeled as such.
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.7 (Web) • 10.2.7 (non-web document) • 11.2.1.7 (Software) • 11.2.2.7 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help

<ul style="list-style-type: none"> • 9.2.8 (Web) • 10.2.8 (non-web document) • 11.2.1.8 (Software) • 11.2.2.8 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>Center - When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</p> <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.9 (Web) • 10.2.9 (non-web document) • 11.2.1.9 (Software) • 11.2.2.9 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location,

<p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>orientation, or sound.</p> <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.10 (Web) • 10.2.10 (non-web document) • 11.2.1.10 (Software) • 11.2.2.10 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard

<ul style="list-style-type: none"> • 602.3 (Support Docs) 		<ul style="list-style-type: none"> ▪ AppScan Standard - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.11 (Web) • 10.2.11 (non-web document) • 11.2.1.11 (Software) • 11.2.2.11 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No audio. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - When any audio plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.

<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.15 (Web) • 10.2.15 (non-web document) • 11.2.1.15 (Software) • 11.2.2.15 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes. This is not a requirement where the underlying function requires input that depends on the path of the user's movement and not just the endpoints. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes. This is not a requirement where the underlying function requires
---	--	--

		<p>input that depends on the path of the user's movement and not just the endpoints.</p>
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.16 (Web) • 10.2.16 (non-web document) • 11.2.1.16 (Software) • 11.2.2.16 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - When focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the method for moving focus away. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - When focus can be moved to a component using a keyboard interface, then focus can be

		<p>moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the method for moving focus away.</p>
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.17 (Web) • 10.2.17 (non-web document) • 11.2.1.17 (Software) • 11.2.2.17 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No time limits. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The user is allowed to turn off, adjust or extend all time limits that are not a real-time, essential or 20 hour exception.
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.18 (Web) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No

<ul style="list-style-type: none"> • 10.2.18 (non-web document) • 11.2.1.18 (Software) • 11.2.2.18 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>moving, blinking, scrolling, or auto-updating information.</p> <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The user is allowed to pause, stop, or hide moving, blinking, scrolling, or auto-updating information, unless it is an essential part of an activity.
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.19 (Web) • 10.2.19 (non-web document) • 11.2.1.19 (Software) • 11.2.2.19 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - User interface does not contain anything that flashes more than three times in any one second period. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - User interface does not contain anything that flashes more

		<p>than three times in any one second period.</p>
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.20 (Web) • 10.2.20 (non-web document) - Does not apply • 11.2.1.20 (Software) - Does not apply • 11.2.2.20 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 	<p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>	<p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.21 (Web) • 10.2.21 (non-web document) • 11.2.1.21 (Software) - Does not apply 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Titles are provided that describe topic or purpose.

<ul style="list-style-type: none"> • 11.2.2.21 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Titles are provided that describe topic or purpose.
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.22 (Web) • 10.2.22 (non-web document) • 11.2.1.22 (Software) • 11.2.2.22 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - For content that can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - For content that can be navigated sequentially and

		<p>the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p>
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.23 (Web) • 10.2.23 (non-web document) • 11.2.1.23 (Software) • 11.2.2.23 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be ambiguous to users in general. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The purpose of each link can be determined from

		<p>the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be ambiguous to users in general.</p>
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.27 (Web) • 10.2.27 (non-web document) • 11.2.1.27 (Software) • 11.2.2.27 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - The default human language can be programmatically determined. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The default human language can be programmatically determined.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.29 (Web) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - When

<ul style="list-style-type: none"> • 10.2.29 (non-web document) • 11.2.1.29 (Software) • 11.2.2.29 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>any component receives focus, it does not initiate a change of context.</p> <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - When any component receives focus, it does not initiate a change of context.
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.30 (Web) • 10.2.30 (non-web document) • 11.2.1.30 (Software) • 11.2.2.30 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Changing the setting of any user interface

		<p>component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</p>
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.33 (Web) • 10.2.33 (non-web document) • 11.2.1.33 (Software) • 11.2.2.33 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No input allowed. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - When an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.34 (Web) • 10.2.34 (non-web document) • 11.2.1.34 (Software) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Labels or instructions are provided when

<ul style="list-style-type: none"> • 11.2.2.34 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>content requires user input.</p> <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Labels or instructions are provided when content requires user input.
<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.37 (Web) • 10.2.37 (non-web document) • 11.2.1.37 (Software) • 11.2.2.37 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where specifications allow these features. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion:

		<ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where specifications allow these features.
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.38 (Web) • 10.2.38 (non-web document) • 11.2.1.38 (Software) • 11.2.2.38 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically

<ul style="list-style-type: none"> 602.3 (Support Docs) 		<p>set; and notification of changes to these items is available to user agents, including assistive technologies.</p> <p>Software:</p> <ul style="list-style-type: none"> The following components meet this criterion: <ul style="list-style-type: none"> HCL AppScan Standard <ul style="list-style-type: none"> AppScan Standard - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.
--	--	--

Table 2: Success Criteria, Level AA

Criteria	Supporting Features	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Electronic Docs: Not Applicable	Electronic Docs:

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5 (Web) • 10.2.5 (non-web document) • 11.2.1.5 (Software) • 11.2.2.5 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Software: Supports</p>	<ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No live audio content in synchronized media. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Captions are provided for all live audio content in synchronized media.
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.6 (Web) • 10.2.6 (non-web document) • 11.2.1.6 (Software) • 11.2.2.6 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No prerecorded video. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Audio description is provided for all prerecorded video content in synchronized media.

<ul style="list-style-type: none"> • 602.3 (Support Docs) 		
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.12 (Web) • 10.2.12 (non-web document) • 11.2.1.12 (Software) • 11.2.2.12 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - The visual presentation of text and images of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The visual presentation of text and images of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1.
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.13 (Web) • 10.2.13 (non-web document) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Text (but not images of text) can be

<ul style="list-style-type: none"> • 11.2.1.13 (Software) • 11.2.2.13 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>resized without assistive technology up to 200 percent without loss of content or functionality.</p> <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Text (but not images of text) can be resized without assistive technology up to 200 percent without loss of content or functionality.
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.14 (Web) • 10.2.14 (non-web document) • 11.2.1.14 (Software) • 11.2.2.14 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Text is used to convey information rather than images. When an image of text is used, it is essential to the information being conveyed and the image can be visually customized to the user's requirements. <p>Software:</p>

<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Text is used to convey information rather than images. When an image of text is used, it is essential to the information being conveyed and the image can be visually customized to the user's requirements.
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.24 (Web) • 10.2.24 (non-web document) - Does not apply • 11.2.1.24 (Software) - Does not apply • 11.2.2.24 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) 	<p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>	<p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>

<ul style="list-style-type: none"> • 602.3 (Support Docs) - Does not apply to non-web docs 		
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.25 (Web) • 10.2.25 (non-web document) • 11.2.1.25 (Software) • 11.2.2.25 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Headings and labels describe topic or purpose. <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Headings and labels describe topic or purpose.
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.26 (Web) • 10.2.26 (non-web document) • 11.2.1.26 (Software) • 11.2.2.26 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible. <p>Software:</p>

<ul style="list-style-type: none"> • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.28 (Web) • 10.2.28 (non-web document) • 11.2.1.28 (Software) - Does not apply • 11.2.2.28 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - The human language of each passage or phrase in the content can be programmatically determined. This requirement does not apply to proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. It is assumed that users will interact with this product as a single language document therefore the default human language of the page, which can be programmatically determined,

		<p>satisfies this requirement.</p> <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The human language of each passage or phrase in the content can be programmatically determined. This requirement does not apply to proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. It is assumed that users will interact with this product as a single language document therefore the default human language of the page, which can be programmatically determined, satisfies this requirement.
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p>	<p>Electronic Docs: Does not apply to non-web documentation.</p>	<p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>

<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.31 (Web) • 10.2.31 (non-web document) - Does not apply • 11.2.1.31 (Software) - Does not apply • 11.2.2.31 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 	<p>Software: Does not apply to non-web software.</p>	
<p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.32 (Web) • 10.2.32 (non-web document) - Does not apply • 11.2.1.32 (Software) - Does not apply • 11.2.2.32 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) 	<p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>	<p>Electronic Docs: Does not apply to non-web documentation.</p> <p>Software: Does not apply to non-web software.</p>

<ul style="list-style-type: none"> • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 		
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.35 (Web) • 10.2.35 (non-web document) • 11.2.1.35 (Software) • 11.2.2.35 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Not Applicable</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - No input allowed. <p>Software:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - No input allowed.
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	<p>Electronic Docs: Not Applicable</p> <p>Software: Not Applicable</p>	<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ◦ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Content is not used

<ul style="list-style-type: none"> • 9.2.36 (Web) • 10.2.36 (non-web document) • 11.2.1.36 (Software) • 11.2.2.36 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>for legal commitments or financial transactions, to modify user-controlled data in a storage system, or to submit test responses.</p> <p>Software:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Content is not used for legal commitments or financial transactions, to modify user-controlled data in a storage system, or to submit test responses.
---	--	---

Table 3: Success Criteria, Level AAA

Notes: Not Evaluated

2017 Section 508 Report

[Click to show or hide 2017 Section 508 tables \(section headings will remain\)](#)

Chapter 3: Functional Performance Criteria (FPC)

Notes: Not applicable. Functional performance criteria not used to evaluate this product.

Chapter 4: Hardware

Notes: Not applicable. This product does not provide hardware or is exempted from meeting the Revised Section 508 hardware standard [E202.5](#).

Chapter 5 Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope - Incorporation of WCAG 2.0 AA	See WCAG 2.0 section	See information in WCAG section

502 Interoperability with Assistive Technology	Heading cell - no response required	Heading cell - no response required
502.2.1 User Control of Accessibility Features	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The application provides user control over platform features that are defined in the platform documentation as accessibility features.
502.2.2 No Disruption of Accessibility Features	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Component does not disrupt platform features that are defined in the platform documentation as accessibility features.
502.3 Accessibility Services	Heading cell - no response required	Heading cell - no response required
502.3.1 Object Information	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Semantic information is provided about user interface objects.
502.3.2 Modification of Object Information	Supports	<ul style="list-style-type: none"> • The following components meet this criterion:

		<ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - States and properties that can be set by the user can be set programmatically, including through assistive technology.
502.3.3 Row, Column, and Headers	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - For objects in the data table, the occupied rows and columns, and any headers associated with those rows or columns, are programmatically determinable.
502.3.4 Values	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The current value and any minimum or maximum values, if the component represents one of a range of values, are programmatically determinable.
502.3.5 Modification of Values	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard

		<ul style="list-style-type: none"> ▪ AppScan Standard - Values that can be set by the user can be set programmatically, including through assistive technology.
502.3.6 Label Relationships	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.
502.3.7 Hierarchical Relationships	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The name of the object's parent or containing element and any children components is programmatically determinable.
502.3.8 Text	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Text contents, text attributes, and the boundary of text

		rendered to the screen are programmatically determinable.
502.3.9 Modification of Text	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Text that can be set by the user can be set programmatically, including through assistive technology.
502.3.10 List of Actions	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - A list of actions that can be executed on an object is programmatically determinable. Assistive technology can programmatically execute available actions on objects.
502.3.11 Actions on Objects	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The application allows assistive technology to programmatically execute available

		actions on objects.
502.3.12 Focus Cursor	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Exposes information and mechanisms necessary to track and modify focus, text insertion point, and selection attributes of user interface components.
502.3.13 Modification of Focus Cursor	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Focus, text insertion point, and selection attributes that can be set by the user can be set programmatically, including through the use of assistive technology.
502.3.14 Event Notification	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Notification of events relevant to user interactions, including, but not limited to,

		changes in the component's state(s), value, name, description, or boundary, is available to assistive technologies.
502.4 Platform Accessibility Features	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The platform and platform software conforms to the requirements in ANSI/ HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (2008) listed: Sections 9.3.3, 9.3.4, 9.3.5, 10.6.7, 10.6.8, 10.6.9, and 10.7.1.
503 Applications	Heading cell - no response required	Heading cell - no response required
503.2 User Preferences	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Component provides a mode of operation that allows user preferences for platform settings for color, contrast, font type, font

		size, and focus cursor.
503.3 Alternative User Interfaces	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The application provides an alternative user interface that functions as assistive technology and uses platform and other industry standard accessibility services.
503.4 User Controls for Captions and Audio Description.	Heading cell - no response required	Heading cell - no response required
503.4.1 Caption Controls	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The application provides user controls for volume adjustment and provides user controls for the selection of captions at the same menu level.
503.4.2 Audio Description Controls	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The application

		provides user controls for the selection of audio descriptions at the same menu level as the user controls for volume or program selection.
504 Authoring Tools	Heading cell - no response required	Heading cell - no response required
504.x	Not Applicable	This product has no content authoring capabilities.

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell - no response required	Heading cell - no response required
602 Support Documentation	Heading cell - no response required	Heading cell - no response required
602.2 Accessibility and Compatibility Features	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Documentation lists and explains accessibility and compatibility features, including keyboard access. Instructions for using any features of the authoring tool that directly support authors in increasing the accessibility of the content being edited appear in the product documentation

		under the Accessibility topic.
602.3 Electronic Support Documentation	See WCAG 2.0 section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	All documentation that supports the use of the HCL product is provided in electronic format.
603 Support Services	Heading cell - no response required	Heading cell - no response required
603.2 Information on Accessibility and Compatibility Features	Not Applicable	Information on accessibility and compatibility features of the HCL product is included in the conformance statement required by 602.2.
603.3 Accommodation of Communication Needs	Supports	The support services of the HCL product provided directly to users by HCL (e.g. telecommunications relay services for use by deaf or hard of hearing users to access sales and support services) accommodates the communication needs of individuals with disabilities.

EN 301 549 Report

Chapter 4: 4.2 Functional Performance Statements (FPS)

Notes: Not applicable. Functional performance criteria not used to evaluate this product.

Chapter 5: Generic Requirements

Notes: Not applicable. This product does not provide closed hardware.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not applicable. This product does not provide two-way communication.

Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell - no response required	Heading cell - no response required
7.1.1 Captioning playback	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard

		<ul style="list-style-type: none"> ▪ AppScan Standard <ul style="list-style-type: none"> - The software displays video with synchronized audio, has a mode of operation to display the available captions (i.e., CC button) and allows users to display closed captions if they are provided.
<p>7.1.2 Captioning synchronization</p>	<p>Supports</p>	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard <ul style="list-style-type: none"> - The software displays captions and preserves synchronization between the audio and the corresponding captions.
<p>7.1.3 Preservation of captioning</p>	<p>Supports</p>	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard <ul style="list-style-type: none"> - The software preserves caption data so that it can be displayed.
<p>7.2.1 Audio description playback</p>	<p>Supports</p>	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard <ul style="list-style-type: none"> - The software provides a mechanism to select and play available audio description (i.e., videos with

		narrated descriptions) to the default audio channel.
7.2.2 Audio description synchronization	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The software preserves the synchronization between the audio/visual content and the corresponding audio description (i.e., videos with narrated descriptions).
7.2.3 Preservation of audio description	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The software preserves audio description (i.e., video narrations) data such that it can be played.
7.3 User controls for captions and audio description	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The software provides user controls to activate subtitles (i.e., closed captions) and audio description (i.e., video narrations) at the same level of interaction as the

		primary player controls.
--	--	--------------------------

Chapter 8: Hardware

Notes: Not applicable. This product does not provide hardware.

Chapter 9: Web (See WCAG 2.0 Section)

Notes: Not applicable. Product does not provide web or non-web software or documentation.

Chapter 10: Non-Web Documents

Criteria	Conformance Level	Remarks and Explanations
10.1 General	Heading cell - no response required	Heading cell - no response required
10.2 Document success criteria	Heading cell - no response required	Heading cell - no response required
10.2.1 through 10.2.38	See WCAG 2.0 section	See information in WCAG section
10.2.39 Caption positioning	Not Applicable	<ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - The non-web documentation does not contain synchronized media (i.e., videos) with captions. <p>Also see the accessibility conformance information provided in applicable success criteria in the WCAG 2.0 Report above, (e.g. 1.2.2 Captions).</p>
10.2.40 Audio description timing	Not Applicable	<ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - The non-web documentation does not contain synchronized media (i.e., videos)

		<p>with audio description.</p> <p>Also see the accessibility conformance information provided in applicable success criteria in the WCAG 2.0 Report above, (e.g. 1.2.5 Audio Descriptions).</p>
--	--	---

Chapter 11: Software

Criteria	Conformance Level	Remarks and Explanations
11.2.1 Software success criteria (excluding closed functionality)	See WCAG 2.0 section	See information in WCAG section
11.2.2 Software success criteria (closed functionality)	See WCAG 2.0 section	See information in WCAG section
11.3 Interoperability with assistive technology	Heading cell - no response required	Heading cell - no response required
11.3.1 Closed functionality (informative)	Heading cell - no response required	Heading cell - no response required
11.3.2 Accessibility services	Heading cell - no response required	Heading cell - no response required
11.3.2.1 Platform accessibility service support for software that provides a user interface	See 11.3.2.5 through 11.3.2.17	See information in 11.3.2.5 through 11.3.2.17
11.3.2.2 Platform accessibility service support for assistive technologies	See 11.3.2.5 through 11.3.2.17	See information in 11.3.2.5 through 11.3.2.17
11.3.2.3 Use of accessibility services	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The software uses the applicable documented platform accessibility services for user interface elements. If the documented platform accessibility services do not allow the software

		<p>to meet the applicable requirements of clauses 11.3.2.5 to 11.3.2.17, the software uses other documented services to interoperate with assistive technology.</p>
<p>11.3.2.4 Assistive technology</p>	<p>Supports</p>	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The application provides an alternative user interface that functions as assistive technology and uses platform and other industry standard accessibility services.
<p>11.3.2.5 Object information</p>	<p>Supports</p>	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Semantic information is provided about user interface objects.
<p>11.3.2.6 Row, column, and headers</p>	<p>Supports</p>	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - For objects in the data table, the occupied rows and columns, and any

		headers associated with those rows or columns, are programmatically determinable.
11.3.2.7 Values	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The current value and any minimum or maximum values, if the component represents one of a range of values, are programmatically determinable.
11.3.2.8 Label relationships	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.
11.3.2.9 Parent-child relationships	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The name of the object's parent or containing element and any children components is

		programmatically determinable.
11.3.2.10 Text	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Text contents, text attributes, and the boundary of text rendered to the screen are programmatically determinable.
11.3.2.11 List of available actions	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - A list of actions that can be executed on an object is programmatically determinable. Assistive technology can programmatically execute available actions on objects.
11.3.2.12 Execution of available actions	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The application allows assistive technology to programmatically execute available actions on objects.
11.3.2.13 Tracking of focus and selection attributes	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard

		<ul style="list-style-type: none"> ▪ AppScan Standard - Exposes information and mechanisms necessary to track and modify focus, text insertion point, and selection attributes of user interface components.
11.3.2.14 Modification of focus and selection attributes	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Focus, text insertion point, and selection attributes that can be set by the user can be set programmatically, including through the use of assistive technology.
11.3.2.15 Change notification	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Notification of events relevant to user interactions, including, but not limited to, changes in the component's state(s), value, name, description, or boundary, is available to assistive technologies.
11.3.2.16 Modifications of states and properties	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard

		<ul style="list-style-type: none"> ▪ AppScan Standard - States and properties that can be set by the user can be set programmatically, including through assistive technology.
11.3.2.17 Modifications of values and text	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Values that can be set by the user can be set programmatically, including through assistive technology. Text that can be set by the user can be set programmatically, including through assistive technology.
11.4 Documented accessibility usage	Heading cell - no response required	Heading cell - no response required
11.4.1 User control of accessibility features	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - The application provides user control over platform features that are defined in the platform documentation as accessibility features.
11.4.2 No disruption of accessibility features	Supports	<ul style="list-style-type: none"> • The following components meet this criterion:

		<ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Component does not disrupt platform features that are defined in the platform documentation as accessibility features.
11.5 User preferences	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard - Component provides a mode of operation that allows user preferences for platform settings for color, contrast, font type, font size, and focus cursor.
11.6 Authoring tools	Heading cell - no response required	Heading cell - no response required
11.6.x	Not Applicable	This product has no content authoring capabilities.

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell - no response required	Heading cell - no response required
12.1.1 Accessibility and compatibility features	Supports	<ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL AppScan Standard <ul style="list-style-type: none"> ▪ AppScan Standard Help Center - Documentation lists and explains accessibility and compatibility features, including keyboard access.

		Instructions for using any features of the authoring tool that directly support authors in increasing the accessibility of the content being edited appear in the product documentation under the Accessibility topic.
12.1.2 Accessible documentation	See WCAG 2.0 section	See information in WCAG section
12.2 Support Services	Heading cell - no response required	Heading cell - no response required
12.2.2 Information on accessibility and compatibility features	Not Applicable	Information on accessibility and compatibility features of the HCL product is included in the conformance statement required by 12.1.1.
12.2.3 Effective communication	Supports	The support services of the HCL product provided directly to users by HCL (e.g. telecommunications relay services for use by deaf or hard of hearing users to access sales and support services) accommodates the communication needs of individuals with disabilities.
12.2.4 Accessible documentation	See WCAG 2.0 section	See information in WCAG section

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable. Functional performance criteria not used to evaluate this product.

Disclaimer: HCL provides this data for general information on an AS IS basis. Any third-party components or technologies not developed by or licensed by HCL that may be packaged with or engaged by the use of this product are not included in this Section 508 assessment.