

VPAT for HCL Digital Solutions v9.5

VPAT comments: This VPAT covers HCL Customer Experience v9.5
 HCL Digital Experience v9.5
 HCL Employee Experience v9.5
 HCL Portal Enable v9.5
 HCL Portal Express v9.5
 HCL Portal Extend v9.5
 HCL Portal Server v9.5

VPAT Summary – WCAG Edition

Standard/Guideline	Included In Report
Web Content Accessibility Guideline 2.0, at https://www.w3.org/TR/WCAG20/	Level A Level AA
Web Content Accessibility Guideline 2.1 at https://www.w3.org/TR/WCAG21/	Level A
Revised Section 508 Standards as published by the U.S. Access Board in the Federal Register on January 18,2017	Level A
Corrections to the ICT Final Rule as Published by the U.S. Access Board in the Federal Register on January 22, 2018	Level AAA

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).

- Revised Section 508: Chapter 5 b501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 b602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1 (Web) • 10.2.1 (non-web document) • 11.2.1.1 (Software) • 11.2.2.1 (Closed Functionality Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server ○ Portal UI – All non-text content that is presented to the user has a text alternative that serves the equivalent purpose. <p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 - All nontext content that is presented to the user has a text alternative that serves the equivalent purpose. <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation ▪ Quick Start Guide HTML ▪ Portal 9.5 Online Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion:

		<ul style="list-style-type: none"> ○ HCL Portal Server 9.5 – No non-text content. ○ Portal installer ○ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - All non-text content that is presented to the user has a text alternative that serves the equivalent purpose.
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2 (Web) • 10.2.2 (non-web document) • 11.2.1.2 (Software) • 11.2.2.2.1 and 11.2.2.2.2 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Web: Not Applicable</p> <p>Electronic Docs: Supports</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Not Applicable</p>	<p>Web:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI – No prerecorded audio-only and no video-only media. <p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation - An alternative for prerecorded audio-only or video-only media is provided. This is not a requirement when the audio or video is a media alternative for text and is clearly labeled as such. <p>Software:</p> <ul style="list-style-type: none"> ○ The following components do not apply to this criterion:

<ul style="list-style-type: none"> • 602.3 (Support Docs) 		<ul style="list-style-type: none"> ○ HCL Portal Server 9.5 – No prerecorded studio only and no video-only media. <ul style="list-style-type: none"> ▪ Portal installer ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> ○ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI – No prerecorded audio-only and no video-only media.
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3 (Web) • 10.2.3 (non-web document) • 11.2.1.3 (Software) • 11.2.2.3 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Not Applicable</p> <p>Electronic Docs: Supports</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Not Applicable</p>	<p>Web:</p> <ul style="list-style-type: none"> ○ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI – No prerecorded audio. <p>Electronic Docs:</p> <ul style="list-style-type: none"> ○ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation - Captions are provided for prerecorded audio content in synchronized media. This is not a requirement when the media is a media alternative for text and is clearly labeled as such. ○ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 – No prerecorded audio. <ul style="list-style-type: none"> ▪ Quick Start Guide HTML ▪ Portal 9.5 On-line Help HTML Documentation <p>Software:</p>

		<ul style="list-style-type: none"> ○ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 – No prerecorded audio. <ul style="list-style-type: none"> ▪ Portal installer ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> ○ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI – No prerecorded audio.
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4 (Web) • 10.2.4 (non-web document) • 11.2.1.4 (Software) • 11.2.2.4 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Not Applicable</p> <p>Electronic Docs: Supports</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Not Applicable</p>	<p>Web:</p> <ul style="list-style-type: none"> ○ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI – No prerecorded audio and no prerecorded video media. <p>Electronic Docs:</p> <ul style="list-style-type: none"> ○ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation - All the information in the video track is already provided in the audio track. ○ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 – No prerecorded audio and no prerecorded video media. <ul style="list-style-type: none"> ▪ Quick Start ▪ Guide HTML ▪ Portal 9.5 Online Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> ▪ The following components do not apply to this criterion:

		<ul style="list-style-type: none"> ○ HCL Portal Server 9.5 – No prerecorded audio and no prerecorded video media. <ul style="list-style-type: none"> ▪ Portal installer ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> ▪ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI – No prerecorded audio and no prerecorded video media.
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.7 (Web) • 10.2.7 (non-web document) • 11.2.1.7 (Software) • 11.2.2.7 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI - Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. <p>Electronic Docs:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 - Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text. <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation ▪ Quick Start Guide HTML ▪ Portal 9.5 Online Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Websphere Portal Server 9.5 - Information, structure, and

		<p>relationships conveyed through presentation can be programmatically determined or are available in text. Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.8 (Web) • 10.2.8 (non-web document) • 11.2.1.8 (Software) • 11.2.2.8 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI – When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined. <p>Electronic Docs:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 – <ul style="list-style-type: none"> ▪ When then the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.

<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<ul style="list-style-type: none"> • Portal 9.5 Knowledge Center Documentation • Quick Start Guide HTML • Portal 9.5 Online Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> ▪ The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 – <ul style="list-style-type: none"> ▪ Presentation sequence does not affect meaning. <ul style="list-style-type: none"> • Portal installer • Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.
<p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.9 (Web) • 10.2.9 (non-web document) • 11.2.1.9 (Software) • 11.2.2.9 (Closed Software) - Does not apply 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI - Instructions provided for understanding and operating content do sensory characteristics of components such as shape, size, visual location, orientation,

<ul style="list-style-type: none"> • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p style="text-align: right;">or sound.</p> <p>Electronic Docs:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ▪ HCL Portal Server 9.5 – Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound. <ul style="list-style-type: none"> • Portal 9.5 Knowledge Center Documentation • Quick Start Guide HTML • Portal 9.5 On-line Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ▪ HCL Portal Server 9.5 - Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound. <ul style="list-style-type: none"> ▪ Portal installer
---	--	---

		<ul style="list-style-type: none"> ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> ▪ The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.10 (Web) • 10.2.10 (non-web document) • 11.2.1.10 (Software) • 11.2.2.10 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p>	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. <p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a

<ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>visual element.</p> <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation ▪ Quick Start Guide HTML ▪ Portal 9.5 On- line Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element. <ul style="list-style-type: none"> ▪ Portal installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.
<p>1.4.2 Audio Control (Level A)</p>	<p>Web: Not Applicable</p>	<p>Web:</p>

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.11 (Web) • 10.2.11 (non-web document) • 11.2.1.11 (Software) • 11.2.2.11 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Not Applicable</p>	<ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 Portal UI - No audio. <p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 - No audio. <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation ▪ Quick Start Guide ▪ HTML Portal 9.5 On-line Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> ○ HCL Portal Server 9.5 - No audio. <ul style="list-style-type: none"> ▪ Portal installer ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5
--	---	--

		<ul style="list-style-type: none"> ▪ Portal generated UI - No audio.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.15 (Web) • 10.2.15 (non-web document) • 11.2.1.15 (Software) • 11.2.2.15 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes. This is not a requirement where the underlying function requires input that depends on the path of the user's movement and not just the endpoints. <p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes. This is not a requirement where the underlying function requires input that depends on the path

		<p>of the user's movement and not just the endpoints.</p> <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation ▪ Quick Start Guide ▪ HTML Portal 9.5 On-line Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes. This is not a requirement where the underlying function requires input that depends on the path of the user's movement and not just the endpoints. <ul style="list-style-type: none"> ▪ Portal installer ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - All functionality of the content is operable through a keyboard interface without requiring specific timings for individual
--	--	--

		<p>keystrokes. This is not a requirement where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</p>
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.16 (Web) • 10.2.16 (non-web document) • 11.2.1.16 (Software) • 11.2.2.16 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI - When focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the method for moving focus away. <p>Electronic Docs:</p>

<ul style="list-style-type: none"> 602.3 (Support Docs) 		<ul style="list-style-type: none"> The following components meet this criterion: <ul style="list-style-type: none"> HCL Portal Server 9.5 - When focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the method for moving focus away. <ul style="list-style-type: none"> Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On-line Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> The following components meet this criterion: <ul style="list-style-type: none"> HCL Portal Server 9.5 - When focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the
--	--	--

		<p>method for moving focus away.</p> <ul style="list-style-type: none"> ▪ Portal installer ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - When focus can be moved to a component using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, when it requires more than unmodified arrow or tab keys, the user is advised of the method for moving focus away.
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.17 (Web) • 10.2.17 (non-web document) • 11.2.1.17 (Software) • 11.2.2.17 (Closed Software) - Does not apply 	<p>Web: Supports</p> <p>Electronic Docs: Not Applicable</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI - The user is allowed to turn off, adjust or extend all time limits that are not a real-time, essential or 20 hour exception.

<ul style="list-style-type: none"> • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 - No time limits. <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation ▪ Quick Start Guide HTML ▪ Portal 9.5 On-line Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 - No time limits. <ul style="list-style-type: none"> ▪ Portal installer ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - The user is allowed to turn off, adjust or extend all time limits that are not a real-time, essential or 20 hour exception.
<p>2.2.2 Pause, Stop, Hide (Level A)</p>	<p>Web: Not Applicable</p>	<p>Web:</p>

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.18 (Web) • 10.2.18 (non-web document) • 11.2.1.18 (Software) • 11.2.2.18 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Electronic Docs: Not Applicable</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Supports</p>	<ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI - No moving, blinking, scrolling, or auto-updating information. <p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Quick Start Guide HTML - No moving, blinking, scrolling, or auto-updating information. • HCL Portal Server 9.5 - No moving, blinking, scrolling, or auto-updating information. Animated GIFs blink for less than the threshold time of 5 seconds. <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation ▪ Portal 9.5 On-line Help HTML Documentation <p>Software:</p> <ul style="list-style-type: none"> • The following components do not apply to this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 - No moving, blinking, scrolling, or auto-updating information. <ul style="list-style-type: none"> ▪ Portal installer
--	---	--

		<ul style="list-style-type: none"> ▪ Portal command line installer <p>Authoring Tool:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCLPortal Server 9.5 <ul style="list-style-type: none"> ▪ Portal generated UI - The user is allowed to pause, stop, or hide moving, blinking, scrolling, or auto-updating information, unless it is an essential part of an activity.
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.19 (Web) • 10.2.19 (non-web document) • 11.2.1.19 (Software) • 11.2.2.19 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 <ul style="list-style-type: none"> ▪ Portal UI - User interface does not contain anything that flashes more than three times in any one second period. <p>Electronic Docs:</p> <ul style="list-style-type: none"> • The following components meet this criterion: <ul style="list-style-type: none"> • HCL Portal Server 9.5 - User interface does not contain anything that flashes more than three

<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>times in any one second period.</p> <ul style="list-style-type: none"> ▪ Portal 9.5 Knowledge Center Documentation ▪ Quick Start Guide HTML ▪ Portal 9.5 On-line Help HTML Documentation <p>Software:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - User interface does not contain anything that flashes more than three times in any one second period.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - User interface does not contain anything that flashes more than three times in any one second period.</p>
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.20 (Web) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p>	<p>Web:</p>

<ul style="list-style-type: none"> • 10.2.20 (non-web document) - Does not apply • 11.2.1.20 (Software) - Does not apply • 11.2.2.20 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 	<p>Software: Does not apply to non-web software.</p> <p>Authoring Tool: Supports</p>	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal UI - A mechanism is available to bypass blocks of content that are repeated.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Quick Start Guide HTML - Single page, no blocks of repeated content.</p> <p>HCL Portal Server 9.5 - A mechanism is available to bypass blocks of content that are repeated.</p> <p>Portal 9.5 Knowledge Center Documentation</p> <p>Portal 9.5 On- line Help HTML Documentation</p> <p>Software: Does not apply to non- web software.</p> <p>Authoring Tool:</p>
---	--	---

		<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI – A mechanism is available to bypass blocks of content that are repeated.</p>
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.21 (Web) • 10.2.21 (non-web document) • 11.2.1.21 (Software) - Does not apply • 11.2.2.21 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p>HCLPortal Server 9.5</p> <p>Portal UI - Titles are provided that describe topic or purpose.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Titles are provided that describe topic or purpose.</p>

<ul style="list-style-type: none">• 602.3 (Support Docs)		<p>Portal 9.5 Knowledge Center Documentation Quick Start</p> <p>Guide HTML</p> <p>Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Titles are provided that describe topic or purpose.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - Titles are provided that describe topic or purpose.</p>
--	--	--

<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.22 (Web) • 10.2.22 (non-web document) • 11.2.1.22 (Software) • 11.2.2.22 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal UI - For content that can be navigated sequentially and the navigation</p> <p>meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - For content that can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p>
---	---	--

		<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - For content that can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 Portal generated UI - For content that can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p>
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.23 (Web) • 10.2.23 (non-web document) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 Portal UI – The purpose of each link can be</p>

<ul style="list-style-type: none"> • 11.2.1.23 (Software) • 11.2.2.23 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>determined from the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be ambiguous to users in general.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be ambiguous to users in general.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start</p> <p>Guide HTML</p> <p>Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p> <p>The following components meet this criterion:</p>
---	--	--

		<p>HCL Portal Server 9.5 Portal installer - The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be ambiguous to users in general.</p> <p>The following components do not apply to this criterion: HCL Portal Server 9.5 Portal command line installer - No links.</p> <p>Authoring Tool:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 Portal generated UI - The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context. This is not a requirement where the purpose of the link would be</p>
--	--	---

		<p>ambiguous to users in general.</p>
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.27 (Web) • 10.2.27 (non-web document) • 11.2.1.27 (Software) • 11.2.2.27 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5</p> <p style="padding-left: 80px;">Portal UI - The default human language can be programmatically determined.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 - The default human language can be programmatically determined.</p> <p style="padding-left: 80px;">Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On-line Help HTML Documentation</p>

		<p>Software:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - The default human language can be programmatically determined.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - The default human language can be programmatically determined.</p>
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.29 (Web) • 10.2.29 (non-web document) • 11.2.1.29 (Software) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal UI - When any component receives</p>

<ul style="list-style-type: none"> • 11.2.2.29 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>focus, it does not initiate a change of context.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 - When any component receives focus, it does not initiate a change of context. Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 - When any component receives focus, it does not initiate a change of context. Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion: HCL Portal Server 9.5</p> <p>Portal generated UI - When any component receives focus, it does not initiate a change of context.</p>
---	--	---

<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.30 (Web) • 10.2.30 (non-web document) • 11.2.1.30 (Software) • 11.2.2.30 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Not Applicable</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 Portal UI - Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</p> <p>Electronic Docs:</p> <p>The following components do not apply to this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 - No input allowed. Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p> <p>The following components do not apply to this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 - No input allowed.</p>

		<p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</p>
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.33 (Web) • 10.2.33 (non-web document) • 11.2.1.33 (Software) • 11.2.2.33 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Not Applicable</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal UI - When an input error is automatically detected, the item that is in error is identified and the error is</p> <p>described to the user in text.</p> <p>Electronic Docs:</p>

<ul style="list-style-type: none"> • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>The following components do not apply to this criterion: HCL Portal Server 9.5 - No input allowed. Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 - When an input error is automatically detected, the item that is in error is identified and the error is described to the user in text. Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 Portal generated UI - When an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</p>
<p>3.3.2 Labels or Instructions (Level A)</p>	<p>Web: Supports</p> <p>Electronic Docs: Not Applicable</p>	<p>Web:</p>

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.34 (Web) • 10.2.34 (non-web document) • 11.2.1.34 (Software) • 11.2.2.34 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Software: Not Applicable</p> <p>Authoring Tool: Supports</p>	<p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 Portal UI - Labels or instructions are provided when content requires user input.</p> <p>Electronic Docs:</p> <p>The following components do not apply to this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 - No input allowed. Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p> <p>The following components do not apply to this criterion: HCL Portal Server 9.5 - No input allowed.</p> <p style="padding-left: 40px;">Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 Portal generated UI - Labels or instructions are provided when content requires user input.</p>
--	---	--

<p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.37 (Web) • 10.2.37 (non-web document) • 11.2.1.37 (Software) • 11.2.2.37 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5</p> <p style="padding-left: 80px;">Portal UI - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and</p> <p style="padding-left: 80px;">any IDs are unique, except where specifications allow these features.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes,</p>
---	---	---

		<p>and any IDs are unique, except where specifications allow these features.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On-line Help HTML Documentation</p> <p>Software:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where specifications allow these features.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p>
--	--	--

		<p>Portal generated UI - In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where specifications allow these features.</p>
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.38 (Web) • 10.2.38 (non-web document) • 11.2.1.38 (Software) • 11.2.2.38 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 Portal UI - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p> <p>Electronic Docs:</p>

		<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values , , that can be set by the user can be programmatically set; and notification of changes to</p>
--	--	--

		<p>these items is available to user agents, including assistive technologies. Portal installer Portal command line installer</p> <p>Authoring Tool: The following components meet this criterion: HCL Portal Server 9.5 Portal generated UI - For all user interface components (including, but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p>
--	--	---

Table 2: Success Criteria, Level AA

Criteria	Supporting Features	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5 (Web) 10.2.5 (non-web document) 11.2.1.5 (Software) 11.2.2.5 (Closed Software) - Does not apply 11.6.2 (Authoring Tool) 	<p>Web: Not Applicable</p> <p>Electronic Docs: Not Applicable</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Not Applicable</p>	<p>Web:</p> <p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal UI - No live audio content in</p>

<ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>synchronized media.</p> <p>Electronic Docs:</p> <p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - No live audio content in synchronized media.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p> <p>Software: The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - No live audio content in synchronized media.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p>
--	--	--

		<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - No live audio content in synchronized media.</p>
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.6 (Web) • 10.2.6 (non-web document) • 11.2.1.6 (Software) • 11.2.2.6 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Not Applicable</p> <p>Electronic Docs: Supports</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Not Applicable</p>	<p>Web:</p> <p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal UI - No prerecorded video.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal 9.5 Knowledge Center Documentation - All the information in the video track is</p>

		<p>already provided in the audio track.</p> <p>The following components do not apply to this criterion:</p> <ul style="list-style-type: none"> HCL Portal Server 9.5 Quick Start Guide HTML - No prerecorded video. HCL Portal Server 9.5 Portal 9.5 On-line Help HTML Documentation - No time-based media or prerecorded video. <p>Software:</p> <p>The following components do not apply to this criterion:</p> <ul style="list-style-type: none"> HCL Portal Server 9.5 - No prerecorded video. Portal installer Portal command line installer <p>Authoring Tool:</p> <p>The following components do not apply to this criterion:</p> <ul style="list-style-type: none"> HCL Portal Server 9.5 Portal generated UI - No prerecorded video.
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.12 (Web) • 10.2.12 (non-web document) • 11.2.1.12 (Software) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <ul style="list-style-type: none"> HCL Portal Server 9.5 Portal UI - The visual presentation of text and images

<ul style="list-style-type: none"> • 11.2.2.12 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - The visual presentation of text and images of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation Software:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - The visual presentation of text and images of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p>
---	--	--

		<p>HCL Portal Server 9.5 Portal generated UI - The visual presentation of text and images of text have a contrast ratio of at least 4.5:1, and any large print and images of large print have a contrast ratio of 3:1.</p>
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.13 (Web) • 10.2.13 (non-web document) • 11.2.1.13 (Software) • 11.2.2.13 (Closed Software) • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5</p> <p style="padding-left: 80px;">Portal UI - Text</p> <p style="padding-left: 40px;">(but not images of text) can be resized without assistive technology up to 200 percent without loss of content or functionality.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 - Text (but not images of text) can be resized without assistive</p>

		<p>technology up to 200 percent without loss of content or functionality.</p> <ul style="list-style-type: none">Portal 9.5 Knowledge CenterDocumentation Quick Start Guide HTMLPortal 9.5 On-line Help HTML Documentation <p>Software:</p> <p>The following components meet this criterion:</p> <ul style="list-style-type: none">HCL Portal Server 9.5 - Text (but not images of text) can be resized without assistive technology up to 200 percent without loss of content or functionality.Portal installerPortal command line installer <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <ul style="list-style-type: none">HCL Portal Server 9.5 Portal generated UI - Text (but not images of text) can be resized without assistive technology up to 200 percent without loss of
--	--	--

		content or functionality.
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.14 (Web) • 10.2.14 (non-web document) • 11.2.1.14 (Software) • 11.2.2.14 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p style="text-align: center;">HCL Portal Server 9.5</p> <p>Portal UI - Text is used to convey information rather than images. When an image of text is used, it is essential to the information being conveyed and the image can be visually customized to the user's requirements. Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Text is used to convey information rather than images. When an image of text is used, it is essential to the information being conveyed and the image can be visually customized to the user's requirements.</p> <p style="text-align: right;">Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help</p>

		<p>HTML Documentation</p> <p>Software:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Text is used to convey information rather than images. When an image of text is used, it is essential to the information being conveyed and the image can be visually customized to the user's requirements.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - Text is used to convey information rather than images. When an image of text is used, it is essential to the</p>
--	--	--

		<p>information being conveyed and the image can be visually customized to the user's requirements.</p>
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.24 (Web) • 10.2.24 (non-web document) - Does not apply • 11.2.1.24 (Software) - Does not apply • 11.2.2.24 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Does not apply to non- web software.</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5</p> <p style="padding-left: 40px;">Portal UI - More than one way is available to locate a web page within a set of web pages except where the web page is the result of, or a step in, a process.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 Quick Start Guide HTML - The documentation is a single page.</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 - More than one way is available to locate a web page within a set of web pages except</p>

		<p>where the web page is the result of, or a step in, a process.</p> <p>Portal 9.5 Knowledge Center Documentation Portal 9.5 On-line Help HTML Documentation</p> <p>Software: Does not apply to non-web software.</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - More than one way is available to locate a web page within a set of web pages except where the web page is the result of, or a step in, a process.</p>
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.25 (Web) • 10.2.25 (non-web document) • 11.2.1.25 (Software) • 11.2.2.25 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 Portal UI - Headings and labels describe topic or purpose.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p>

<ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>HCL Portal Server 9.5 - Headings and labels describe topic or purpose.</p> <ul style="list-style-type: none"> Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On-line Help HTML Documentation <p>Software:</p> <p>The following components meet this criterion:</p> <ul style="list-style-type: none"> HCL Portal Server 9.5 - Headings and labels describe topic or purpose. Portal installer Portal command line installer <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <ul style="list-style-type: none"> HCL Portal Server 9.5 Portal generated UI - Headings and labels describe topic or purpose
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.26 (Web) • 10.2.26 (non-web document) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <ul style="list-style-type: none"> HCL Portal Server 9.5

<ul style="list-style-type: none"> • 11.2.1.26 (Software) • 11.2.2.26 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Authoring Tool: Supports</p>	<p>Portal UI - Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p> <p>Software:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Any keyboard operable user interface has a mode of operation where</p>
---	--	--

		<p>the keyboard focus indicator is visible.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.</p>
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.28 (Web) • 10.2.28 (non-web document) • 11.2.1.28 (Software) - Does not apply • 11.2.2.28 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Not Applicable</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal UI - The human language of each passage or phrase in the content can be programmatically determined. This requirement does not apply to proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. It is assumed that users will interact with this product as a single language document therefore the default</p>

<p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>human language of the web page, which can be programmatically determined, satisfies this requirement.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - The human language of each passage or phrase in the content can be programmatically determined. This requirement does not apply to proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text. It is assumed that users will interact with this product as a single language document therefore the default human language of the web page, which can be programmatically determined, satisfies this requirement.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p>
---	--	---

		<p>Software:</p> <p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - N/A status is not a valid response. The user interface needs to be tested for, and comply with, this checkpoint.</p> <p>Portal installer Portal command line installer</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal generated UI - The human language of each passage or phrase in the content can be programmatically determined. This requirement does not apply to proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the</p>
--	--	---

		<p>immediately surrounding text. It is assumed that users will interact with this product as a single language document therefore the default human language of the web page, which can be programmatically determined, satisfies this requirement.</p>
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.31 (Web) • 10.2.31 (non-web document) - Does not apply • 11.2.1.31 (Software) - Does not apply • 11.2.2.31 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Does not apply to non- web software.</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 Portal UI - Navigational mechanisms that are repeated throughout content occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5</p>

<ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) <ul style="list-style-type: none"> - Does not apply to non-web docs 		<p>Quick Start Guide HTML - No navigational mechanisms used.</p> <p>HCL Portal Server 9.5 - Navigational mechanisms that are repeated throughout content occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p> <p>Portal 9.5 Knowledge Center Documentation Portal 9.5 On-line Help HTML Documentation</p> <p>Software: Does not apply to non-web software.</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 Portal generated UI - Navigational mechanisms that are repeated throughout content occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p>
--	--	--

<p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.32 (Web) • 10.2.32 (non-web document) - Does not apply • 11.2.1.32 (Software) - Does not apply • 11.2.2.32 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) - Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) - Does not apply to non-web docs 	<p>Web: Supports</p> <p>Electronic Docs: Supports</p> <p>Software: Does not apply to non- web software.</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 Portal UI - Components that have the same functionality within a set of Web pages are identified consistently.</p> <p>Electronic Docs:</p> <p>The following components meet this criterion: HCL Portal Server 9.5</p> <p>Quick Start Guide HTML - No overlapping components used.</p> <p>HCL Portal Server 9.5 - Components that have the same functionality within a set of Web pages are identified consistently.</p> <p>Portal 9.5 Knowledge Center Documentation Portal 9.5 On-line Help HTML Documentation</p> <p>Software: Does not apply to non-web software.</p> <p>Authoring Tool:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 Portal generated UI - Components that have the same functionality within a set of Web pages are identified consistently.</p>
--	---	---

<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.35 (Web) • 10.2.35 (non-web document) • 11.2.1.35 (Software) • 11.2.2.35 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Web: Supports</p> <p>Electronic Docs: Does not apply</p> <p>Software: Does not apply to non- web software.</p> <p>Authoring Tool: Supports</p>	<p>Web:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 Portal UI - If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user.</p> <p>Electronic Docs: Does not apply</p> <p>Software: Does not apply to non-web software.</p> <p>Authoring Tool:</p> <p>The following components meet this criterion: HCL Portal Server 9.5 Portal generated UI - If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user.</p>
<p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p>	<p>Web: Supports</p> <p>Electronic Docs: Does not apply</p>	<p>Web:</p>

<p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.36 (Web) • 10.2.36 (non-web document) • 11.2.1.36 (Software) • 11.2.2.36 (Closed Software) - Does not apply • 11.6.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>2017 Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Software: Does not apply to non- web software.</p> <p>Authoring Tool: Supports</p>	<p>The following components meet this criterion: HCL Portal Server 9.5</p> <p>Portal UI - For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:</p> <ul style="list-style-type: none"> • Reversible: Submissions are reversible. • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them. <p>Electronic Docs:</p> <p>The following components meet this criterion: HCL Portal Server 9.5</p> <p>Quick Start Guide HTML - Does not apply</p> <p>Portal 9.5 Knowledge Center Documentation Portal 9.5 On-line Help HTML Documentation - Does not apply</p> <p>Software: Does not apply to non-web software.</p> <p>Authoring Tool:</p> <p>The following components meet this criterion:</p>
--	---	---

		<p>HCL Portal Server 9.5 Portal generated UI - For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:</p> <ul style="list-style-type: none"> • Reversible: Submissions are reversible. • Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.
--	--	--

Table 3: Success Criteria, Level AAA

Notes: Not Evaluated

2017 Section 508 Report

[Click to show or hide 2017 Section 508 tables \(section headings will remain\)](#)

Chapter 3: Functional Performance Criteria (FPC)

Notes: Not Evaluated

Chapter 4: Hardware

Notes: Not applicable. This product does not provide hardware or is exempted from meeting the Revised Section 508 hardware standard [E202.5](#).

Chapter 5 Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope - Incorporation of WCAG 2.0 AA	See WCAG 2.0 section	See information in WCAG section
502 Interoperability with Assistive Technology	Heading cell - no response required	Heading cell - no response required

<p>502.2.1 User Control of Accessibility Features</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - The application is not platform software.</p> <p>Portal installer Portal command line installer</p>
<p>502.2.2 No Disruption of Accessibility Features</p>	<p>Supports</p>	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Component does not disrupt platform features that are defined in the platform documentation as accessibility features.</p> <p>Portal installer Portal command line installer</p>
<p>502.3 Accessibility Services</p>	<p>Heading cell - no response required</p>	<p>Heading cell - no response required</p>
<p>502.3.1 Object Information</p>	<p>Supports</p>	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal installer - Semantic information is provided about</p>

		<p>user interface objects.</p> <p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal command line installer - The user interface is implemented via commands only. There are no interactive objects.</p>
<p>502.3.2 Modification of Object Information</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - The application has no states or properties that can be set by the user.</p> <p>Portal installer Portal command line installer</p>
<p>502.3.3 Row, Column, and Headers</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - No data tables.</p> <p>Portal installer Portal command line installer</p>
<p>502.3.4 Values</p>	<p>Supports</p>	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p>

		<p>Portal installer - The current value and any minimum or maximum values, if the component represents one of a range of values, are programmatically determinable.</p> <p>The following components do not apply to this criterion: HCL Portal Server 9.5</p> <p>Portal command line installer - The user interface is implemented via commands only. There are no interactive objects/values.</p>
502.3.5 Modification of Values	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - The application has no values that can be set by the user.</p> <p>Portal installer Portal command line installer</p>
502.3.6 Label Relationships	Supports	

		<p>The following components meet this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5</p> <p style="padding-left: 40px;">Portal installer - The relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.</p> <p>The following components do not apply to this criterion: HCL Portal Server 9.5</p> <p>Portal command line installer - The user interface is implemented via commands only. There are no interactive objects/labels.</p>
502.3.7 Hierarchical Relationships	Not Applicable	<p>The following components do not apply to this criterion:</p> <p style="padding-left: 40px;">HCL Portal Server 9.5 - No hierarchical relationships.</p> <p style="padding-left: 40px;">Portal installer Portal command line installer</p>
502.3.8 Text	Supports	<p>The following components meet this criterion:</p>

		<p>HCL Portal Server 9.5 - Text contents, text attributes, and the boundary of text rendered to the screen are programmatically determinable.</p> <p>Portal installer Portal command line installer</p>
<p>502.3.9 Modification of Text</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion: HCL Portal Server 9.5 - The application has no text that can be set by the user.</p> <p>Portal installer Portal command line installer</p>
<p>502.3.10 List of Actions</p>	<p>Supports</p>	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal installer - A list of actions that can be executed on an object is programmatically determinable.</p> <p>Assistive technology can programmatically execute available actions on objects.</p>

		<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal command line installer - The user interface is implemented via commands only. There are no interactive objects/actions.</p>
502.3.11 Actions on Objects	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - The application has no available actions on objects.</p> <p>Portal installer Portal command line installer</p>
502.3.12 Focus Cursor	Supports	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal installer - Exposes information and mechanisms necessary to track and modify focus, text insertion point, and selection attributes of user</p>

		<p>interface components.</p> <p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal command line installer - The user interface is implemented via commands only. There are no interactive objects.</p>
<p>502.3.13 Modification of Focus Cursor</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - There are no focus, text insertion point, or selection attributes that can be set by the user.</p> <p>Portal installer Portal command line installer</p>
<p>502.3.14 Event Notification</p>	<p>Supports</p>	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal installer - Notification of events relevant to user interactions, including, but not limited to, changes</p>

		<p>in the component's state(s), value, name, description, or boundary, is available to assistive technologies.</p> <p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5</p> <p>Portal command line installer - The user interface is implemented via commands only. There are no interactive objects/events.</p>
<p>502.4 Platform Accessibility Features</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - The software is not a platform.</p> <p>Portal installer</p> <p>Portal command line installer</p>
<p>503 Applications</p>	<p>Heading cell - no response required</p>	<p>Heading cell - no response required</p>
<p>503.2 User Preferences</p>	<p>Supports</p>	<p>The following components meet this criterion:</p>

		<p>HCL Portal Server 9.5 - Component provides a mode of operation that allows user preferences for platform settings for color, contrast, font type, font size, and focus cursor.</p> <p>Portal installer Portal command line installer</p>
503.3 Alternative User Interfaces	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - The application does not provide an alternative user interface that functions as assistive technology.</p> <p>Portal installer Portal command line installer</p>
503.4 User Controls for Captions and Audio Description.	Heading cell- no response required	Heading cell – no reponse required
503.4.1 Caption Controls	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - The application does not provide user controls for volume adjustment.</p> <p>Portal installer Portal command line installer</p>

503.4.2 Audio Description Controls	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL Portal Server 9.5 - The application does not provide user controls for program selection.</p> <p>Portal installer Portal command line installer</p>
504 Authoring Tools	Heading cell - no response required	Heading cell - no response required
504.2 Content Creation or Editing	Heading cell – no response required	Heading cell – no response required
504.2.1 Preservation of Information Provided for Accessibility in Format Conversation	Supports	<p>The following components meet this criterion: HCL Portal Server 9.5</p> <p>Portal generated UI</p> <p>- To the extent that the information is supported by the destination format, converting content from one format to another or saving content in multiple formats preserves the information required for accessibility.</p>
504.2.2 PDF Export	Not Applicable	<p>The following components do not apply to this criterion: HCL Portal Server 9.5</p> <p>Portal generated UI</p> <p>- The authoring tool does not have the functionality of exporting PDF files.</p>
504.3 Prompts	Supports	The following components meet this criterion:

		<p>HCL Portal Server 9.5 Portal generated UI</p> <p>- The authoring tool provides a mode of operation that prompts authors to create content that conforms to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0 for supported features and, as applicable, to file formats supported by the authoring tool.</p>
504.4 Templates	Not Applicable	<p>The following components do not apply to this criterion: HCL Portal Server 9.5 Portal generated UI - The application does not provide templates for authoring content.</p>

Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell - no response required	Heading cell - no response required
602 Support Documentation	Heading cell - no response required	Heading cell - no response required
602.2 Accessibility and Compatibility Features	Supports	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Documentation lists and explains accessibility and compatibility</p>

		<p>features, including keyboard access.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p>
602.3 Electronic Support Documentation	See WCAG 2.0 section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	All documentation that supports the use of the HCL product is provided in electronic format.
603 Support Services	Heading cell - no response required	Heading cell - no response required
603.2 Information on Accessibility and Compatibility Features	Not Applicable	Information on accessibility and compatibility features of the HCL product is included in the conformance statement required by 602.2.
603.3 Accommodation of Communication Needs	Supports	The support services of the HCL product provided directly to users by HCL (e.g. telecommunications relay services for use by deaf or hard of hearing users to access sales and support services) accommodates the communication needs of individuals with disabilities.

EN 301 549 Report <this is info from another product, if your answer is different then we would need to look info and build out for your product>

Chapter 4: 4.2 Functional Performance Statements (FPS)

Notes: Not applicable. Functional performance criteria not used to evaluate this product.

Chapter 5: Generic Requirements

Notes: Not applicable. This product does not provide closed hardware.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not applicable. This product does not provide two-way communication.

Chapter 7: ICT with Video Capabilities

Criteria	Conformance Level	Remarks and Explanations
7.1 Caption processing technology	Heading cell - no response required	Heading cell - no response required
7.1.1 Captioning playback	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL</p> <p>Websphere Portal Server</p> <p>9.5 - This product does not provide video player capabilities.</p> <p>Portal installer Portal command line installer</p>
7.1.2 Captioning synchronization	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL</p> <p>Websphere Portal Server</p> <p>9.5 - This product does not provide video player capabilities.</p> <p>Portal installer</p> <p>Portal command line installer</p>

<p>7.1.3 Preservation of captioning</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion:</p> <p>HCL</p> <p>Websphere Portal Server</p> <p>9.5 - This product does not provide video player capabilities.</p> <p>Portal installer Portal command line installer</p>
<p>7.2.1 Audio description playback</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion:</p> <p>HCL</p> <p>Websphere Portal Server</p> <p>9.5 - This product does not provide video player capabilities.</p> <p>Portal installer Portal command line installer</p>
<p>7.2.2 Audio description synchronization</p>	<p>Not Applicable</p>	<p>The following components do not apply to this criterion:</p> <p>HCL</p> <p>Websphere Portal Server</p> <p>9.5 - This product does not provide video player capabilities.</p>

		<p>Portal installer Portal command line installer</p>
7.2.3 Preservation of audio description	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL</p> <p>Websphere Portal Server</p> <p>9.5 - This product does not provide video player capabilities.</p> <p>Portal installer</p> <p>Portal command line installer</p>
7.3 User controls for captions and audio description	Not Applicable	<p>The following components do not apply to this criterion:</p> <p>HCL</p> <p>Websphere Portal Server</p> <p>9.5 - This product does not provide video player capabilities.</p> <p>Portal installer</p> <p>Portal command line installer</p>

<this is info from another product, if your answer is different then we would need to look info and build out for your product>

Chapter 8: Hardware

Notes: Not applicable. This product does not provide hardware.

Chapter 9: Web (See WCAG 2.0 Section)

Notes: Not applicable. Product does not provide web or non-web software or documentation.

Chapter 10: Non-Web Documents

Notes: Not applicable. Product does not provide web or non-web documents.

Criteria	Conformance Level	Remarks and Explanations
10.1 General	Heading cell - no response required	Heading cell - no response required
10.2 Document success criteria	Heading cell - no response required	Heading cell - no response required
10.2.1 through 10.2.38	See WCAG 2.0 section	See information in WCAG section
10.2.39 Caption positioning		
10.2.40 Audio description timing		

Chapter 11: Software

Criteria	Conformance Level	Remarks and Explanations
11.0 General	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.0 section	See information in WCAG section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality (informative)	Heading cell - no response required	Heading cell - no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.x	Not Applicable	This product only contains web-based software
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility feature	Supports	allows user control of accessibility features
11.6.2 No disruptive of accessibility features	Supports	compatible with operating system and browser accessibility features configured by the user.
11.7 User preferences	NA	Heading cell – no response required
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.x	Not applicable	This product has no authoring capabilities

Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell - no response required	Heading cell - no response required
12.1.1 Accessibility and compatibility features	Supports	<p>The following components meet this criterion:</p> <p>HCL Portal Server 9.5 - Documentation lists and explains accessibility and compatibility features, including keyboard access.</p> <p>Portal 9.5 Knowledge Center Documentation Quick Start Guide HTML Portal 9.5 On- line Help HTML Documentation</p>
12.1.2 Accessible documentation	See WCAG 2.0 section	See information in WCAG section
12.2 Support Services	Heading cell - no response required	Heading cell - no response required
12.2.2 Information on accessibility and compatibility features	Not Applicable	Information on accessibility and compatibility features of the HCL product is included in the conformance statement required by 12.1.1.
12.2.3 Effective communication	Support	The support services of the HCL product provided directly to users by HCL (e.g. telecommunications relay services for use by deaf or hard of hearing users to access sales and support services) accommodates the communication needs of individuals with disabilities.
12.2.4 Accessible documentation	See WCAG 2.0 section	See information in WCAG section

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not applicable. This product does not provide relay or emergency service features.

Disclaimer: HCL provides this data for general information on an AS IS basis. Any third-party components or technologies not developed by or licensed by HCL that may be packaged with or engaged by the use of this product are not included in this Section 508 assessment.