

832 Price/Sales Catalog

X12/V4010/832 : 832 Price/Sales Catalog

Status: Final

Publication: 5/8/2023

Notes:

Table of Contents

832 Price/Sales Catalog	1
ST Transaction Set Header	3
BCT Beginning Segment for Price/Sales Catalog	4
REF Reference Identification	5
CUR Currency	6
N1 Name	7
LIN Item Identification	8
DTM Date/Time Reference	12
REF Reference Identification	13
REF Reference Identification	14
REF Reference Identification	15
REF Reference Identification	16
REF Reference Identification	17
REF Reference Identification	18
REF Reference Identification	19
REF Reference Identification	20
REF Reference Identification	21
REF Reference Identification	22
YNQ Yes/No Question	23
YNQ Yes/No Question	24
YNQ Yes/No Question	25
YNQ Yes/No Question	26
YNQ Yes/No Question	27
YNQ Yes/No Question	28
YNQ Yes/No Question	29
YNQ Yes/No Question	30
YNQ Yes/No Question	31
YNQ Yes/No Question	32
CTB Restrictions/Conditions	33
CTB Restrictions/Conditions	34
CTB Restrictions/Conditions	35
CTB Restrictions/Conditions	36
CTB Restrictions/Conditions	37
PID Product/Item Description	38
PO4 Item Physical Details	39
LDT Lead Time	41
CTP Pricing Information	42
N1 Name	43
CTT Transaction Totals	44

SE Transaction Set Trailer **45**

832 Price/Sales Catalog

Functional Group=SC

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Price/Sales Catalog Transaction Set (832) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to furnishing or requesting the price of goods or services in the form of a catalog.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BCT	Beginning Segment for Price/Sales Catalog	M	1			Must use
050	REF	Reference Identification	O	>1			Must use
090	CUR	Currency	O	5			Used
LOOP ID - N1					≥1		
150	N1	Name	O	1			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - LIN					≥1		
010	LIN	Item Identification	O	1			Must use
030	DTM	Date/Time Reference	O	10			Must use
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
040	REF	Reference Identification	O	>1			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
045	YNQ	Yes/No Question	M	10			Used
060	CTB	Restrictions/Conditions	O	25			Used
060	CTB	Restrictions/Conditions	O	25			Used
060	CTB	Restrictions/Conditions	O	25			Used
060	CTB	Restrictions/Conditions	O	25			Used

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
060	CTB	Restrictions/Conditions	O	25			Used
070	PID	Product/Item Description	O	200			Used
100	PO4	Item Physical Details	O	1			Used
140	LDT	Lead Time	O	1			Used
LOOP ID - CTP					100		
170	CTP	Pricing Information	O	1			Must use
LOOP ID - N1					≥1		
230	N1	Name	O	1			Must use

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	CTT	Transaction Totals	O	1		N3/010	Used
020	SE	Transaction Set Trailer	M	1			Must use

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
<p>Description: Code uniquely identifying a Transaction Set All valid standard codes are used.</p>						
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
<p>Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set</p>						

BCT Beginning Segment for Price/Sales Catalog

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 4

User Option (Usage): Must use

Purpose: To indicate the beginning of the Price/Sales Catalog Transaction Set and specify catalog purpose and number information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BCT01	683	Catalog Purpose Code	M	ID	2/2	Must use
		Description: Code indicating purpose of catalog				
		Code Name				
		SC				Sales Catalog
BCT02	684	Catalog Number	O	AN	1/15	Used
		Description: Identifying number for catalog or superseded catalog				
BCT03	685	Catalog Version Number	O	AN	1/15	Used
		Description: Identifying version number of catalog or superseded catalog				
BCT10	353	Transaction Set Purpose Code	O	ID	2/2	Used
		Description: Code identifying purpose of transaction set				
		Code Name				
		00				Original
		04				Change

REF Reference Identification

Pos: 050	Max: >1
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

Code Name

IA Internal Vendor Number

REF02	127	Reference Identification	X	AN	1/30	Must use
-------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: CDW will provide vendor number to be included on this feed

CUR Currency

Pos: 090	Max: 5
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To specify the currency (dollars, pounds, francs, etc.) used in a transaction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUR01	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

SE Selling Party

CUR02	100	Currency Code	M	ID	3/3	Must use
-------	-----	---------------	---	----	-----	----------

Description: Code (Standard ISO) for country in whose currency the charges are specified

User Note 1: CAD - Canadian Dollars

USD - US Dollars

N1 Name

Pos: 150	Max: 1
Heading - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name
VN Vendor

N102	93	Name	X	AN	1/60	Used
------	----	------	---	----	------	------

Description: Free-form name

User Note 1: Vendor Name

LIN Item Identification

Pos: 010	Max: 1
Detail - Optional	
Loop: LIN	Elements: 27

User Option (Usage): Must use

Purpose: To specify basic item identification data

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
LIN01	350	Assigned Identification	O	AN	1/20	Used
Description: Alphanumeric characters assigned for differentiation within a transaction set						
LIN02	235	Product/Service ID Qualifier	M	ID	2/2	Must use
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
User Note 1: For manufacturer provided catalog, vendor part number should equal manufacturer part number if one does not exist						
Code Name						
VP Vendor's (Seller's) Part Number						
LIN03	234	Product/Service ID	M	AN	1/48	Must use
Description: Identifying number for a product or service						
LIN04	235	Product/Service ID Qualifier	X	ID	2/2	Must use
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
Code Name						
MG Manufacturer's Part Number						
LIN05	234	Product/Service ID	X	AN	1/48	Must use
Description: Identifying number for a product or service						
LIN06	235	Product/Service ID Qualifier	X	ID	2/2	Used
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
Code Name						
UP U.P.C. Consumer Package Code (1-5-5-1)						
LIN07	234	Product/Service ID	X	AN	1/48	Used
Description: Identifying number for a product or service						
LIN08	235	Product/Service ID Qualifier	X	ID	2/2	Used
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
Code Name						
MF Manufacturer						
LIN09	234	Product/Service ID	X	AN	1/48	Used

Ref	Id	Element Name	Req	Type	Min/Max	Usage
		Description: Identifying number for a product or service				
LIN10	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		Code Name				
		C3 Classification				
LIN11	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				
		User Note 1: UNSPSC item classification				
LIN12	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		Code Name				
		RP Replaced Part Number				
LIN13	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				
		User Note 1: Prior Version				
LIN14	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		Code Name				
		RR Replacement Product Number				
LIN15	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				
		User Note 1: Replacement Part				
LIN16	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		Code Name				
		KM Shelf-Life Code				
		Description: Suggested life in months				
LIN17	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				
		User Note 1: Suggested life in months				
LIN18	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				

Code Name

KN Shelf-Life Action Code

Description: Coverage length in months

LIN19 234 **Product/Service ID** X AN 1/48 Used

Description: Identifying number for a product or service

User Note 1: Coverage length in months

LIN20 235 **Product/Service ID Qualifier** X ID 2/2 Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code Name

DU Joint Life Type

LIN21 234 **Product/Service ID** X AN 1/48 Used

Description: Identifying number for a product or service

User Note 1: Term length in months

LIN22 235 **Product/Service ID Qualifier** X ID 2/2 Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

User Note 1: UCC/EAN-128

Code Name

AV Additional Product Identification Assigned by the Manufacturer

Description: Uniform Code Council International Article Numbering Association (UCC/EAN) Application Identifier 240

LIN23 234 **Product/Service ID** X AN 1/48 Used

Description: Identifying number for a product or service

LIN24 235 **Product/Service ID Qualifier** X ID 2/2 Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

User Note 1: Product Line

Code Name

TP Product Type Code

LIN25 234 **Product/Service ID** X AN 1/48 Used

Description: Identifying number for a product or service

User Note 1: Product Line

LIN26 235 **Product/Service ID Qualifier** X ID 2/2 Used

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

User Note 1: Product Line Code

Code Name

MD Method of Delivery Code

Ref	Id	Element Name	Req	Type	Min/Max	Usage
LIN27	234	Product/Service ID	X	AN	1/48	Used

Description: Identifying number for a product or service

User Note 1: Use "EL" for Electronic delivery

Use "PH" for Physical delivery

DTM Date/Time Reference

Pos: 030	Max: 10
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Must use

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

Description: Code specifying type of date or time, or both date and time

User Note 1: *Effective Date - Send when providing a full catalog*

Replacement Effective Date - Send when providing a delta catalog

Not After - End of Sale Date. Item cannot be sold after this date.

Extended - End Of Extended Support Date

Code Name

001 Cancel After

007 Effective

036 Expiration

Description: *Manufacturer End Date*

128 Replacement Effective

268 End Date of Support

508 Extended

Description: *The extended date for a performance requirement*

844 Not After

DTM02	373	Date	X	DT	8/8	Must use
-------	-----	------	---	----	-----	----------

Description: Date expressed as CCYYMMDD

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

User Note 1: *PRT is for the TAA flag*

Code Name

PRT Product Type

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: *TAA flag*

Y for manufactured in the United States or a TAA designated country.

N for TAA non-compliant.

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

User Note 1: ZZ is for the EPEAT/Energy Star flag.

Code Name

ZZ Mutually Defined

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: EPEAT/Energy Star flag

Y for EPEAT/Energy Star compliant.

N for EPEAT/Energy Star non-compliant.

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 3

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

User Note 1: W9 is for Prop 65 Warning

Code Name

W9 Special Packaging Instruction Number

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: Prop 65 Warning Code

REF03	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: Description, Prop 65 Warning

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 3

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

User Note 1: NA is for Domestic HazMat Code

Code Name

NA North American Hazardous Classification Number

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: HazMat Code - Domestic

REF03	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: Description, HazMat Code - Domestic

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 3

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

User Note 1: *UN is for HazMat Code - International*

Code Name

UN United Nations Hazardous Classification Number

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: *HazMat Code - International*

REF03	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: *Description, HazMat Code - International*

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

User Note 1: ZZ1 is for Units/Boxes per Pallet

Code Name

ZZ1 Mutually Defined

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: Units/Boxes per Pallet

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

User Note 1: ZZ2 is for Units/Boxes per Layer

Code Name

ZZ2 Mutually Defined

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: Units/Boxes per Layer

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

User Note 1: ZX is for Country of Origin

Code Name

ZX Country Code

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: ISO Alpha-3 Country of Origin

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

Code Name

4B Shipment Origin Code

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: *Future international consideration of where a product is coming from - different from country of Origin*

REF Reference Identification

Pos: 040	Max: >1
Detail - Optional	
Loop: LIN	Elements: 3

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

Code Name

8X Service Category or Type

REF02	127	Reference Identification	X	AN	1/30	Used
-------	-----	--------------------------	---	----	------	------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

User Note 1: *Service Type*

REF03	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: *Service Length*

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N	No
Y	Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'SERIALIZED' as text value

USAGE:

Used to denote product serialization

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N	No
Y	Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'CONSTRAINED' as text value

USAGE:

Used to categorize as constrained inventory

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 3

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N No
Y Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'REBATE' as text value

YNQ06	933	Free-Form Message Text	O	AN	1/264	Used
-------	-----	------------------------	---	----	-------	------

Description: Free-form message text

User Note 1: BK - Backend Rebate

FN - Frontend Rebate

USAGE:

Used to identify if a rebate is available on this sku

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 3

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N	No
Y	Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'RENEWABLE as text value

YNQ06	933	Free-Form Message Text	O	AN	1/264	Used
-------	-----	------------------------	---	----	-------	------

Description: Free-form message text

User Note 1: List Renewal Category or Type when Renewal Flag is set to Y

USAGE:

Used to categorize sku as renewable

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N	No
Y	Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'SUBSCRIPTION' as text value

USAGE:

Used to categorize sku as a subscription

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N	No
Y	Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'PERPETUAL' as text value

USAGE:

Used to categorize sku as perpetual

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N	No
Y	Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'CLOUD_SOLUTION' as text value

USAGE:

Used to categorize sku as a cloud solution

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N	No
Y	Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'ELA' as text value

USAGE:

Used to categorize sku as an enterprise licensing agreement

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 3

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N No
Y Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use 'XSUS' as text value

YNQ06	933	Free-Form Message Text	O	AN	1/264	Used
-------	-----	------------------------	---	----	-------	------

Description: Free-form message text

User Note 1: XS - Cross Sell

US - Up Sell

USAGE:

Used to identify if a cross sell/up sell opportunity exists

YNQ Yes/No Question

Pos: 045	Max: 10
Detail - Mandatory	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use

Description: Code indicating a Yes or No condition or response

Code Name

N	No
Y	Yes

YNQ05	933	Free-Form Message Text	O	AN	1/264	Must use
-------	-----	------------------------	---	----	-------	----------

Description: Free-form message text

User Note 1: Use "Custom Product" as text

USAGE:

Used to identify whether an item is custom built

CTB Restrictions/Conditions

Pos: 060	Max: 25
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify restrictions/conditions (such as shipping, ordering)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTB01	688	Restrictions/Conditions Qualifier	M	ID	2/2	Must use

Description: Code identifying the type of restriction/condition

Code Name

OR Ordering

Description: *Ordering Restriction for License orders*

CTB02	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: *Restriction on who this software can be sold to education, government, health, etc*

CTB Restrictions/Conditions

Pos: 060	Max: 25
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify restrictions/conditions (such as shipping, ordering)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTB01	688	Restrictions/Conditions Qualifier	M	ID	2/2	Must use

Description: Code identifying the type of restriction/condition

User Note 1: Z1 to be used to denote minimum number of seats or users

Code Name

Z1 Minimum Seats or Users

CTB02	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: Minimum number of Seats or Users

USAGE:

Denotes minimum number of seats or users

CTB Restrictions/Conditions

Pos: 060	Max: 25
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify restrictions/conditions (such as shipping, ordering)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTB01	688	Restrictions/Conditions Qualifier	M	ID	2/2	Must use

Description: Code identifying the type of restriction/condition

User Note 1: Z2 to be used to denote maximum number of seats or users

Code Name

Z2 Maximum Seats or Users

CTB02	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: Maximum number of Seats or Users

USAGE:

Denotes maximum number of seats or users

CTB Restrictions/Conditions

Pos: 060	Max: 25
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify restrictions/conditions (such as shipping, ordering)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTB01	688	Restrictions/Conditions Qualifier	M	ID	2/2	Must use

Description: Code identifying the type of restriction/condition

User Note 1: Z3 to be used to denote low range of seats or users

Code Name

Z3 Low Range of Seats or Users

CTB02	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: Low range of Seats or Users

USAGE:

Denotes low range of seats or users

CTB Restrictions/Conditions

Pos: 060	Max: 25
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To specify restrictions/conditions (such as shipping, ordering)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTB01	688	Restrictions/Conditions Qualifier	M	ID	2/2	Must use

Description: Code identifying the type of restriction/condition

User Note 1: Z4 to be used to denote high range of seats or users

Code Name

Z4 High Range of Seats or Users

CTB02	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

User Note 1: High Range of Seats or Users

USAGE:

Denotes high range of seats or users

PID Product/Item Description

Pos: 070	Max: 200
Detail - Optional	
Loop: LIN	Elements: 2

User Option (Usage): Used

Purpose: To describe a product or process in coded or free-form format

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	Item Description Type	M	ID	1/1	Must use

Description: Code indicating the format of a description

All valid standard codes are used.

PID05	352	Description	X	AN	1/80	Must use
-------	-----	-------------	---	----	------	----------

Description: A free-form description to clarify the related data elements and their content

USAGE:

Use multiple PID segments to accomodate longer product descriptions.

PO4 Item Physical Details

Pos: 100	Max: 1
Detail - Optional	
Loop: LIN	Elements: 11

User Option (Usage): Used

Purpose: To specify the physical qualities, packaging, weights, and dimensions relating to the item

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PO401	356	Pack	O	N0	1/6	Used
		Description: The number of inner containers, or number of eaches if there are no inner containers, per outer container				
PO402	357	Size	X	R	1/8	Used
		Description: Size of supplier units in pack				
PO403	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code Name				
		EA	Each			
PO404	103	Packaging Code	X	AN	3/5	Used
		Description: Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required				
		All valid standard codes are used.				
PO405	187	Weight Qualifier	O	ID	1/2	Used
		Description: Code defining the type of weight				
		Code Name				
		U	Weight Per Unit			
PO406	384	Gross Weight per Pack	X	R	1/9	Used
		Description: Numeric value of gross weight per pack				
PO407	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code Name				
		LB	Pound			
PO410	82	Length	X	R	1/8	Used
		Description: Largest horizontal dimension of an object measured when the object is in the upright position				
PO411	189	Width	X	R	1/8	Used
		Description: Shorter measurement of the two horizontal dimensions measured with the object in the upright position				

Ref	Id	Element Name	Req	Type	Min/Max	Usage
PO412	65	Height	X	R	1/8	Used

Description: Vertical dimension of an object measured when the object is in the upright position

PO413	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
-------	-----	---	---	----	-----	------

Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken

Code Name

IN Inch

LDT Lead Time

Pos: 140	Max: 1
Detail - Optional	
Loop: LIN	Elements: 3

User Option (Usage): Used

Purpose: To specify lead time for availability of products and services

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LDT01	345	Lead Time Code	M	ID	2/2	Must use
		Description: Code indicating the time range				
		Code Name				
		AE From date of PO receipt to shipment				
LDT02	380	Quantity	M	R	1/15	Must use
		Description: Numeric value of quantity				
LDT03	344	Unit of Time Period or Interval	M	ID	2/2	Must use
		Description: Code indicating the time period or interval				
		Code Name				
		DA Calendar Days				

CTP Pricing Information

Pos: 170	Max: 1
Detail - Optional	
Loop: CTP	Elements: 3

User Option (Usage): Must use

Purpose: To specify pricing information

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
CTP02	236	Price Identifier Code	X	ID	3/3	Used

Description: Code identifying pricing specification

Code Name

- C01 CDW Price
- GOV Government Price (Non-GSA)
- GSA Federal GSA(-only) Price
- MAP Minimum Advertised Price or Mimimum Internet Advertised Price (Future Use)
- MSR Manufacturer's Suggested Retail
- N02 Higher Education
- N03 K-12
- N04 State Government
- N05 Education Other
- PRP Promotional Price (Future Use)
- PUR Purchase

CTP03	212	Unit Price	X	R	1/17	Used
-------	-----	------------	---	---	------	------

Description: Price per unit of product, service, commodity, etc.

CTP04	380	Quantity	X	R	1/15	Used
-------	-----	----------	---	---	------	------

Description: Numeric value of quantity

USAGE:

Manufacturer's Suggested Retail Price (MSR) and CDW's Price (C01) are both mandatory. Other pricing to be provided where applicable.

N1 Name

Pos: 230	Max: 1
Detail - Optional	
Loop: N1	Elements: 2

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use
		Description: Code identifying an organizational entity, a physical location, property or an individual				
		Code Name				
		MF				Manufacturer of Goods
N102	93	Name	X	AN	1/60	Used
		Description: Free-form name				

CTT Transaction Totals

Pos: 010	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

User Option (Usage): Used

Purpose: To transmit a hash total for a specific element in the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

Description: Total number of line items in the transaction set

SE Transaction Set Trailer

Pos: 020	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				